MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product number 050-002

Product name Aquapel Glass Windshield Cleaner Non-Streak Spray Foam

Effective date 23-Sep-2009

Company information PPG Industries
One PPG Place

Pittsburgh, PA 15272 United States

Company phone General Assistance 630-543-7600

Emergency telephone US 1-866-836-8855 Emergency telephone outside US 703-527-3887

Version # 16

Supersedes date 13-Mar-2009

2. Hazards Identification

Emergency overview CONTENTS UNDER PRESSURE. Aerosol. Prolonged exposure may cause chronic

effects. May be ignited by heat, sparks or flames.

Potential health effects

Routes of exposure Ingestion. Skin contact.

Eyes Health injuries are not known or expected under normal use.

Skin This product may be harmful if it is absorbed through the skin. Prolonged or repeated

contact can result in defatting and drying of the skin which may result in skin irritation and

dermatitis (rash).

InhalationIntentional misuse by concentrating and inhaling the product can be harmful or fatal.IngestionExposure by ingestion of an aerosol is unlikely. Components of the product may be

absorbed into the body by ingestion.

Target organs 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is

repeated and prolonged and may cause blood damage. These effects have not been

observed in humans.

Blood.

Chronic effects Unconsciousness. Liver injury may occur.

Signs and symptoms Cyanosis. Liver enlargement. Jaundice. Defatting of the skin. Irritation.

3. Composition / Information on Ingredients

Components	CAS#	Percent
Ethyl Alcohol	64-17-5	1 - 3
2-Butoxyethanol	111-76-2	1 - 3
Propane	74-98-6	1 - 3
n-Butane	106-97-8	1 - 3
Non-hazardous and other components below reportable levels	> 90	

4. First Aid Measures

First aid procedures

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops or persists.

Skin contact Immediately take off all contaminated clothing. Wash off with warm water and soap. Get

medical attention if irritation develops or persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, get medical attention.

Ingestion Rinse mouth. If ingestion of a large amount does occur, call a poison control center

immediately.

trade_name MSDS US

5. Fire Fighting Measures

Flammable properties

Extinguishing media

Vapor or gas may spread to distant ignition sources and flash back.

Suitable extinguishing media

Protection of firefighters

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Protective equipment and precautions for firefighters Containers should be cooled with water to prevent vapor pressure build up.

6. Accidental Release Measures

Methods for containment

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly.

7. Handling and Storage

Handling

Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Use only in area provided with appropriate exhaust ventilation. Do not use if spray button is missing or defective. Do not get this material in contact with eyes. Do not get this material in contact with skin. Avoid prolonged exposure.

Storage

Level 1 Aerosol.

Contents under pressure. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Avoid exposure to long periods of sunlight. Keep out of the reach of children. Do not store, incinerate, or heat this material above 120 degrees Fahrenheit.

8. Exposure Controls / Personal Protection

Exposure limits

AC	G	IH
----	---	----

Components	CAS#	TWA	STEL	Ceiling
Ethyl Alcohol	64-17-5	1000 ppm	Not established	Not established
2-Butoxyethanol	111-76-2	20 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established
n-Butane	106-97-8	1000 ppm	Not established	Not established

OSHA

Components	CAS#	TWA	STEL	Ceiling
Ethyl Alcohol	64-17-5	1000 ppm	Not established	Not established
2-Butoxyethanol	111-76-2	50 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established

Personal protective equipment

Eye / face protection

Wear chemical goggles.

Skin protection

Wear appropriate chemical resistant gloves. Wear appropriate chemical resistant

clothing.

Respiratory protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

trade_name MSDS US

9. Physical & Chemical Properties

Appearance Compressed liquefied gas. **Boiling point** 204.8 °F (96.1 °C) estimated

Color Colorless.

Flammability (HOC) 3.2733 kJ/g estimated

Flash back No

Flash point -156 °F (-104.4 °C) Propellant

Form Aerosol.

Odor Butyl
pH 9.5 - 10.5

Physical state Liquid.

Pressure 70 - 90 psig @ 70F

Solubility Completely
Specific gravity 0.9605 estimated

10. Chemical Stability & Reactivity Information

Chemical stability Stable at normal conditions.

Conditions to avoid Heat, flames and sparks.

Incompatible materials None known.

Hazardous decomposition products No hazardous decomposition products are known.

11. Toxicological Information

Acute effectsAcute LD50: 7571 mg/kg estimated, Rat, DermalSensitizationNot expected to be hazardous by OSHA criteria.TeratogenicityNot expected to be hazardous by OSHA criteria.

12. Ecological Information

Ecotoxicity Components of this product have been identified as having potential environmental

concerns.

LC50 36327 mg/L estimated, Fish, 96.00 Hours, EC50 44247 mg/L estimated, Daphnia, 48.00 Hours, IC50 11902 mg/L estimated, Algae, 72.00 Hours,

13. Disposal Considerations

Waste codes D001: Waste Flammable material with a flash point <140 F

Disposal instructionsContents under pressure. Do not puncture, incinerate or crush. Dispose of this material

and its container at hazardous or special waste collection point. Do not allow this material to drain into sewers/water supplies. If discarded, this product is considered a RCRA ignitable waste, D001. Dispose in accordance with all applicable regulations.

14. Transport Information

Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper shipping name Consumer commodity

Hazard class ORM-D Subsidiary hazard class None

Additional information:

Packaging exceptions156, 306Packaging non bulk156, 306Packaging bulkNone

trade_name MSDS US

IMDG

Basic shipping requirements:

AEROSOLS Proper shipping name

Hazard class 2.1 1950 **UN** number

Additional information:

LTD QTY **Packaging exceptions** Item Labels required None **Transport Category** 2



IATA

Basic shipping requirements:

Proper shipping name Aerosols, flammable

Hazard class 2.1 **UN** number 1950

Additional information:

Packaging exceptions LTD QTY 2.1 Labels required



15. Regulatory Information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US** federal regulations

Standard, 29 CFR 1910.1200.

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

2-Butoxyethanol 111-76-2 1.0 % de minimis concentration (applies to R-(OCH2CH2)n-OR', where n = 1,2, or 3,

R=alkyl C7 or less, or R = phenyl or alkyl substituted phenyl, R' = H or alkyl C7 or less, or OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or

sulfonate, Chemical Category N230)

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

CERCLA (Superfund) reportable quantity

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Inventory status

Country(s) or region Inventory name On inventory (yes/no)* China Inventory of Existing Chemical Substances in China (IECSC) European Inventory of New and Existing Chemicals (EINECS) Europe Yes European List of Notified Chemical Substances (ELINCS) Europe Yes Inventory of Existing and New Chemical Substances (ENCS) Japan No

Existing Chemicals List (ECL) Korea United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

2-Butoxyethanol 111-76-2 Present Ethyl Alcohol 64-17-5 Present n-Butane 106-97-8 Present Propane 74-98-6 Present

trade_name MSDS US

Nο

Yes

16. Other Information

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health:

Flammability: 2 Physical hazard: 0

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.

MSDS sections updated Product and Company Identification: Alternate Trade Names

Hazards Identification: Target organs

Physical & Chemical Properties: Physical & Chemical Properties Transport Information: Product Shipping Name/Packing Group

Regulatory Information: United States

Prepared by Regulatory Compliance