

Bibliography of Palouse prairie and prairie insect-related studies¹

The Palouse prairie bibliography was generated by the following key word search: 'Palouse prairie', 'Palouse', 'grasslands' and 'insects'. A few additional manuscripts including select Ph.D. dissertations and manuscripts from proceedings were also included. The more general prairie bibliography was generated by these key words: 'prairie' and 'Coleoptera,' 'Hymenoptera,' 'Diptera,' 'Lepidoptera,' 'Homoptera,' 'Hemiptera,' 'Neuroptera,' 'Dermaptera,' 'Plecoptera' and 'Tricoptera', etc., for all insect Orders. Please contact the Palouse Prairie Foundation should you know of pertinent insect-related studies not included herein.

¹ Pro bono contribution by Timothy D. Hatten, Ph.D., CEO of Invertebrate Ecology

See Invertebrateecology.com for Endnote X2 files (.enl file) of these bibliographies, as well as a narrative on the critical need to conserve insects, other invertebrate species and the ecological functions and services that they provide.

Palouse prairie bibliography

- Belovsky, G. E., and J. B. Slade. 1995. Dynamics of 2 Montana grasshopper populations: relationships among weather, food abundance and intraspecific competition. *Oecologia* 101: 383-396.
- Donovan, S., T. Hanson, T. D. Hatten, C. Looney, Y. Sanchez de León, N.A. Bosque-Pérez, S. Brunsfeld, S.D. Eigenbrode, J. Johnson-Maynard, and J.D. Wulffhorst. 2005. Palouse prairie: social and biophysical perspectives of an endangered ecosystem. In: Proceedings of the Third Annual Meeting of the UI-CATIE IGERT Project, Turrialba, Costa Rica, July 2005. 19-23.
- Finer, M. S., and M. T. Morgan. 2003. Effects of natural rates of geitonogamy on fruit set in *Asclepias speciosa* (Apocynaceae): evidence favoring the plant's dilemma. *American Journal of Botany* 90: 1746-1750.
- Finer, M. 2003. Effects of geitonogamy, habitat fragmentation, and poulation size on plant reproductive success: ecological and evolutionary studies. Ph.D. dissertation. Washington State University, Pullman.
- Finer, M. 2004. Insight into the pollination crisis: effects of population size on pollinator diversity for showy milkweed. *Douglasia* 28: 7-8.
- Hanavan, R.P. 2008. The influence of agricultural practices and diverse perennial habitats on the biology and ecology of the pea leaf weevil, *Sitona lineatus* (L.) (Coleoptera: Curculionidae). Ph.D. dissertation. University of Idaho, Moscow, Idaho.
- Hatten, T.D., N.A. Bosque-Pérez, and S.D. Eigenbrode. 2005. The influence of tillage on prairie inhabiting beetles of the Palouse: Countryside biogeography and the matrix. In: Proceedings of the Third Annual Meeting of the UI-CATIE IGERT Project, Turrialba, Costa Rica, July 2005. 52-53.
- Hatten, T. D., S. D. Eigenbrode, N. A. Bosque-Pérez, S. Gebbie, F. Merickel, and C. Looney. 2006. Influence of matrix elements on prairie-inhabiting Curculionidae, Tenebrionidae and Scarabaeidae in the Palouse. In D. Egan and J. Harrington [eds.], *Proceedings of the Nineteenth North American Prairie Conference*. Madison: University Communications, Madison, WI.
- Hatten, T. D. 2006. Assessing the influence of agricultural practices, topographic features, and native habitats on the epigaeal beetle fauna of the Palouse. Ph.D. dissertation. University of Idaho, Moscow, Idaho.
- Imbert, J. B., and J. A. Stanford. 1996. An ecological study of a regulated prairie stream in western Montana. *Regulated Rivers-Research & Management* 12: 597-615.
- Jensen, J. M., and D. L. Six. 2006. Myrmecochory of the exotic plant, *Centaurea maculosa*: A potential mechanism enhancing invasiveness. *Environmental Entomology* 35: 326-331.
- Looney, C., T. Caldwell, T. Hatten, C. Lorion, and S. D. Eigenbrode. 2006. Potential habitat factors influencing carrion beetle communities of Palouse Prairie remnants. In D. Egan and J. Harrington [eds.], *Proceedings of the Nineteenth North American Prairie Conference*. Madison: University Communications, Madison, WI.
- Looney, C. 2008. Habitat fragmentation and loss on the Palouse and its impact on arthropod conservation. Ph.D. dissertation. University of Idaho, Moscow, Idaho.

- Pocewicz, A. 2006. Modeling landscape change and evaluating ecological effects of landscape composition and configuration in northern Idaho. Ph.D. dissertation. University of Idaho, Moscow, Idaho.
- Pocewicz, A. and P. Morgan. 2006. Effects of land use and configuration on forest nitrogen dynamics and butterfly density and diversity in northern Idaho. Proceedings of the Fourth Annual Meeting of the University of Idaho and the Tropical Agricultural Research and Higher Education Center (CATIE) IGERT project. University of Idaho, Moscow, ID.
- Pocewicz, A., P. Morgan and S.D. Eigenbrode. 2009. Local and landscape effects on butterfly density in northern Idaho grasslands and forests. Journal of Insect Conservation (DOI 10.1007/s10841-008-9209-7).
- O'Geen, A. T., P. A. McDaniel, A. J. Busacca. 2002. Cicada burrows as indicators of paleosols in the inland Pacific Northwest. Soil Science Society of America Journal. 66(5):1584-1586.

Prairie bibliography

- Adler, P. H., D. Roach, W. K. Reeves, J. P. Flanagan, M. E. Morrow, and J. E. Toepfer. 2007. Attacks on the endangered Attwater's Prairie-Chicken (*Tympanuchus cupido attwateri*) by black flies (Diptera : Simuliidae) infected with an avian blood parasite. Journal of Vector Ecology 32: 309-312.
- Allen, C. R., S. Demarais, and R. S. Lutz. 1997. Effects of red imported fire ants on recruitment of white-tailed deer fawns. Journal of Wildlife Management 61: 911-916.
- Allen, C. R., R. S. Lutz, T. Lockley, S. A. Phillips, and S. Demarais. 2001. The non-indigenous ant, *Solenopsis invicta*, reduces loggerhead shrike and native insect abundance. Journal of Agricultural and Urban Entomology 18: 249-259.
- Andersen, A. N., J. A. Ludwig, L. M. Lowe, and D. C. F. Rentz. 2001. Grasshopper biodiversity and bioindicators in Australian tropical savannas: Responses to disturbance in Kakadu National Park. Austral Ecology 26: 213-222.
- Anderson, D. J., and B. Vondracek. 1999. Insects as indicators of land use in three ecoregions in the prairie pothole region. Wetlands 19: 648-664.
- Azevedo, F. C. C., V. Lester, W. Gorsuch, S. Lariviere, A. J. Wirsing, and D. L. Murray. 2006. Dietary breadth and overlap among five sympatric prairie carnivores. Journal of Zoology 269: 127-135.
- Baker, R. G., D. P. Schwert, E. A. Bettis, T. J. Kemmis, D. G. Horton, and H. A. Semken. 1991. Mid-Wisconsinan stratigraphy and paleoenvironments at the ST Charles site in south-central Iowa. Geological Society of America Bulletin 103: 210-220.
- Baker, R. G., E. A. Bettis, D. P. Schwert, D. G. Horton, C. A. Chumbley, L. A. Gonzalez, and M. K. Reagan. 1996. Holocene paleoenvironments of northeast Iowa. Ecological Monographs 66: 203-234.
- Ballinger, A., and P. S. Lake. 2006. Energy and nutrient fluxes from rivers and streams into terrestrial food webs. Marine and Freshwater Research 57: 15-28.
- Bangert, R. K., and C. N. Slobodchikoff. 2004. Prairie dog engineering indirectly affects beetle movement behavior. Journal of Arid Environments 56: 83-94.
- Barnes, J. K. 2008. The genus *Atomosia* Macquart (Diptera : Asilidae) in North America north of Mexico. Proceedings of the Entomological Society of Washington 110: 701-732.
- Bataille, K. J., and G. A. Baldassarre. 1993. Distribution and abundance of aquatic macroinvertebrates following drought in 3 prairie pothole wetlands. Wetlands 13: 260-269.
- Baum, K. A., W. L. Rubink, R. N. Coulson, and V. M. Bryant. 2004. Pollen selection by feral honey bee (Hymenoptera : Apidae) colonies in a coastal prairie landscape. Environmental Entomology 33: 727-739.
- Baum, K. A., W. L. Rubink, M. A. Pinto, and R. N. Coulson. 2005. Spatial and temporal distribution and nest site characteristics of feral honey bee (Hymenoptera : Apidae) colonies in a coastal prairie landscape. Environmental Entomology 34: 610-618.
- Baum, K. A., W. L. Rubink, and R. N. Coulson. 2006. Trapping of feral honey bee workers (Hymenoptera : Apidae) in a coastal prairie landscape: effects of season and vegetation type. Canadian Entomologist 138: 228-234.
- Baxter, C. V., K. D. Fausch, and W. C. Saunders. 2005. Tangled webs: reciprocal flows of invertebrate prey link streams and riparian zones. Freshwater Biology 50: 201-220.
- Beard, M. L., S. T. Rose, A. M. Barnes, and J. A. Montenieri. 1992. Control of *Oropsylla hirsuta*, a plague vector, by treatment of prairie dog burrows with 0.5-percent permethrin dust. Journal of Medical Entomology 29: 25-29.

- Beckerman, A. P. 2000. Counterintuitive outcomes of interspecific competition between two grasshopper species along a resource gradient. *Ecology* 81: 948-957.
- Benson, T. J., J. J. Dinsmore, and W. L. Hohman. 2007. Responses of plants and arthropods to burning and disking of riparian habitats. *Journal of Wildlife Management* 71: 1949-1957.
- Beshkar, M. 2008. Animal consciousness. *Journal of Consciousness Studies* 15: 5-33.
- Bess, J. A., and K. G. A. Hamilton. 1999. A new *Flexamia* (Homoptera : Cicadellidae : Deltocephalinae) from Southern Michigan. *Great Lakes Entomologist* 32: 9-14.
- Bess, J. A., K. M. O'Neill, and W. P. Kemp. 2004. Leafhopper assemblages on native and reseeded grasslands in southwestern Montana. *Western North American Naturalist* 64: 518-531.
- Bossenbroek, J. M., H. H. Wagner, and J. A. Wiens. 2005. Taxon-dependent scaling: beetles, birds, and vegetation at four North American grassland sites. *Landscape Ecology* 20: 675-688.
- Bostanian, N. J., C. Vincent, G. Chouinard, and G. Racette. 1999. Managing apple maggot, *Rhagoletis pomonella* [Diptera : Tephritidae], by perimeter trapping. *Phytoprotection* 80: 21-33.
- Bostanian, N. J., and G. Racette. 2001. Attract and kill, an effective technique to manage apple maggot, *Rhagoletis pomonella* [Diptera : Tephritidae] in high density Quebec apple orchards. *Phytoprotection* 82: 25-34.
- Brand, R. H., and C. P. Dunn. 1998. Diversity and abundance of springtails (Insecta : Collembola) in native and restored tallgrass prairies. *American Midland Naturalist* 139: 235-242.
- Brand, R. H. 2002. The effect of prescribed burning on epigaeic springtails (Insecta : Collembola) of woodland litter. *American Midland Naturalist* 148: 383-393.
- Brandt, J. P., H. F. Cerezke, K. I. Mallett, W. J. A. Volney, and J. D. Weber. 2003. Factors affecting trembling aspen (*Populus tremuloides* Michx.) health in the boreal forest of Alberta, Saskatchewan, and Manitoba, Canada. *Forest Ecology and Management* 178: 287-300.
- Brewer, J. S. 1999. Short-term effects of fire and competition on growth and plasticity of the yellow pitcher plant, *Sarracenia alata* (Sarraceniaceae). *American Journal of Botany* 86: 1264-1271.
- Bried, J. T., and G. N. Ervin. 2007. Intraspecific models and spatiotemporal context of size - mass relationships in adult dragonflies. *Journal of the North American Benthological Society* 26: 681-693.
- Brillhart, D. E., and D. W. Kaufman. 1995. Spatial and seasonal-variation in prey use by coyotes in north-central Kansas. *Southwestern Naturalist* 40: 160-166.
- Brinkerhoff, R. J., A. B. Markeson, J. H. Knouft, K. L. Gage, and J. A. Montenieri. 2006. Abundance patterns of two *Oropsylla* (Ceratophyllidae: Siphonaptera) species on black-tailed prairie dog (*Cynomys ludovicianus*) hosts. *Journal of Vector Ecology* 31: 355-363.
- Brinkerhoff, R. J. 2008. Habitat-associated differences in flea assemblages of striped skunks (*Mephitis mephitis*). *Comparative Parasitology* 75: 127-131.
- Broring, U., J. Mrzljak, R. Niedringhaus, and G. Wiegleb. 2005. Soil zoology I: arthropod communities in open landscapes of former brown coal mining areas, pp. 121-133.
- Brown, V. K., and A. C. Gange. 1992. Secondary plant succession – how it is modified by insect herbivory. *Vegetatio* 101: 3-13.
- Brown, K. S., G. H. Broussard, B. M. Kard, A. L. Smith, and M. P. Smith. 2008. Colony characterization of *Reticulitermes flavipes* (Isoptera : Rhinotermitidae) on a native tallgrass prairie. *American Midland Naturalist* 159: 21-29.
- Brust, M. L., W. W. Hoback, and C. B. Knisley. 2005. Biology, habitat preference, and larval description of *Cicindela cursitans* Leconte (Coleoptera : Carabidae : Cicindelinae). *Coleopterists Bulletin* 59: 379-390.
- Bucy, A. M., and M. D. Breed. 2006. Thermoregulatory trade-offs result from vegetation removal by a harvester ant. *Ecological Entomology* 31: 423-429.
- Bughrara, S. S., D. R. Smitley, and D. Cappaert. 2008. European chafer grub feeding on warm-season and cool-season turfgrasses, native prairie grasses, and pennsylvania sedge. *Horttechnology* 18: 329-333.
- Burger, J. C., and S. M. Louda. 1995. Interaction of diffuse competition and insect herbivory in limiting brittle prickly pear cactus, *Opuntia fragilis* (Cactaceae). *American Journal of Botany* 82: 1558-1566.
- Burgess, L. 1977. Flea beetles (Coleoptera-Chrysomelidae) attacking rape crops in canadian prairie provinces. *Canadian Entomologist* 109: 21-32.
- Burgess, L. 1982. Occurrence of some flea beetle pests of parkland rapeseed crops in open prairie and forest in Saskatchewan (Coleoptera-Chrysomelidae). *Canadian Entomologist* 114: 623-627.

- Burgess, L. 1982. Occurrence of *Phyllotreta striolata*, the striped flea beetle, in open prairie, forest, and parkland of Saskatchewan (Coleoptera-Chrysomelidae). Canadian Entomologist 114: 439-446.
- Burgess, L., and D. L. McKenzie. 1991. Role of the insect *Nysius niger*, and flixweed, *Descurainia sophia*, in infection of Saskatchewan mustard crops with a yeast, *Nematospora sinecauda*. Canadian Plant Disease Survey 71: 37-41.
- Callaham, M. A., M. R. Whiles, C. K. Meyer, B. L. Brock, and R. E. Charlton. 2000. Feeding ecology and emergence production of annual cicadas (Homoptera : Cicadidae) in tallgrass prairie. Oecologia 123: 535-542.
- Callaham, M. A., M. R. Whiles, and J. M. Blair. 2002. Annual fire, mowing and fertilization effects on two cicada species (Homoptera : Cicadidae) in tallgrass prairie. American Midland Naturalist 148: 90-101.
- Cameron, G. N. 2003. Prey use by a pair of barn owls (*Tyto alba*) in a Texas coastal habitat. Texas Journal of Science 55: 219-224.
- Campbell, L. A., and L. J. Meinke. 2006. Seasonality and adult habitat use by four *Diabrotica* species at prairie-corn interfaces. Environmental Entomology 35: 922-936.
- Canals, R. M., and M. T. Sebastia. 2002. Heathland dynamics in biotically disturbed areas: on the role of some features enhancing heath success. Acta Oecologica-International Journal of Ecology 23: 303-312.
- Cannings, R. A., and S. G. Cannings. 2006. The Mantispidae (Insecta : Neuroptera) of Canada, with notes on morphology, ecology, and distribution. Canadian Entomologist 138: 531-544.
- Carcamo, H. A., R. Dunn, L. M. Dosdall, and O. Olfert. 2007. Managing cabbage seedpod weevil in canola using a trap crop - A commercial field scale study in western Canada. Crop Protection 26: 1325-1334.
- Carrillo, R., R. Alarcon, and M. Neira. 2007. The effects of carabid beetles (Coleoptera : Carabidae) on the arthropod fauna of wheat fields in Chile. Revista De Biología Tropical 55: 101-111.
- Case, R. A., and G. M. MacDonald. 2003. Dendrochronological analysis of the response of tamarack (*Larix laricina*) to climate and larch sawfly (*Pristiphora erichsonii*) infestations in central Saskatchewan. Ecoscience 10: 380-388.
- Casman, E. A., and B. Fischhoff. 2008. Risk communication planning for the aftermath of a plague bioattack. Risk Analysis 28: 1327-1342.
- Catling, P. M. 2007. Variation of hind-wing colour and length in *Sympetrum internum* (Odonata : Libellulidae) from the Canadian prairie provinces. Canadian Entomologist 139: 872-880.
- Catling, P. M., and M. Hughes. 2008. Variation in Canadian *Gomphus fraternus* (Odonata : Gomphidae) in relation to the recognition of subspecies manitobanus. Canadian Entomologist 140: 327-337.
- Cervenka, V. J., and R. D. Moon. 1991. Arthropods associated with fresh cattle dung pats in Minnesota. Journal of the Kansas Entomological Society 64: 131-145.
- Chikoski, J. M., S. H. Ferguson, and L. Meyer. 2006. Effects of water addition on soil arthropods and soil characteristics in a precipitation-limited environment. Acta Oecologica-International Journal of Ecology 30: 203-211.
- Chmielewski, J. G., and J. C. Semple. 2004. The biology of Canadian weeds. 130. *Solidago nemoralis* Ait. Canadian Journal of Plant Science 84: 1221-1233.
- Chou, R. Y. M., L. C. Ferrington, B. L. Hayford, and H. M. Smith. 1999. Composition and phenology of Chironomidae (Diptera) from an intermittent stream in Kansas. Archiv Fur Hydrobiologie 147: 35-64.
- Clapperton, M. J., D. A. Kanashiro, and V. M. Behan-Pelletier. 2002. Changes in abundance and diversity of microarthropods associated with Fescue Prairie grazing regimes. Pedobiologia 46: 496-511.
- Clark, T. L., and B. E. Hibbard. 2004. Comparison of nonmaize hosts to support western corn rootworm (Coleoptera : Chrysomelidae) larval biology. Environmental Entomology 33: 681-689.
- Cole, J. A. 2008. A new cryptic species of cicada resembling *Tibicen dorsatus* revealed by calling song (Hemiptera : Auchenorrhyncha : Cicadidae). Annals of the Entomological Society of America 101: 815-823.
- Cook, W. M., and R. D. Holt. 2006. Fire frequency and mosaic burning effects on a tallgrass prairie ground beetle assemblage. Biodiversity and Conservation 15: 2301-2323.
- Coupe, M. D., J. N. Stacey, and J. F. Cahill. 2009. Limited effects of above- and belowground insects on community structure and function in a species-rich grassland. Journal of Vegetation Science 20: 121-129.
- Cox, G. W., J. N. Mills, and B. A. Ellis. 1992. Fire ants (Hymenoptera : Formicidae) as major agents of landscape development. Environmental Entomology 21: 281-286.
- Craig, T. P., J. K. Itami, and J. D. Horner. 2007. Geographic variation in the evolution and coevolution of a tritrophic interaction. Evolution 61: 1137-1152.

- Crist, T. O., and J. A. Wiens. 1994. Scale effects of vegetation on forager movement and seed harvesting by ants. *Oikos* 69: 37-46.
- Crist, T. O., and J. A. Wiens. 1995. Individual-movements and estimation of population-size in darkling beetles (Coleoptera : Tenebrionidae). *Journal of Animal Ecology* 64: 733-746.
- Cromar, H. E., S. D. Murphy, and C. J. Swanton. 1999. Influence of tillage and crop residue on postdispersal predation of weed seeds. *Weed Science* 47: 184-194.
- Cronin, J. T. 2003. Patch structure, oviposition behavior, and the distribution of parasitism risk. *Ecological Monographs* 73: 283-300.
- Cronin, J. T. 2003. Movement and spatial population structure of a prairie planthopper. *Ecology* 84: 1179-1188.
- Cronin, J. T. 2004. Host-parasitoid extinction and colonization in a fragmented prairie landscape. *Oecologia* 139: 503-514.
- Cronin, J. T., K. J. Haynes, and F. Dillemuth. 2004. Spider effects on planthopper mortality, dispersal, and spatial population dynamics. *Ecology* 85: 2134-2143.
- Cronin, J. T., and S. W. Wilson. 2007. Description, life history, and parasitism of a new species of delphacid planthopper (Hemiptera : Fulgoroidea). *Annals of the Entomological Society of America* 100: 640-648.
- Cronin, J. T. 2009. Movement, colonization, and establishment success of a planthopper of prairie potholes, *Delphacodes scolochloae* (Hemiptera: Delphacidae). *Ecological Entomology* 34: 114-124.
- Cunningham, S. A. 1995. Ecological constraints on fruit initiation by *Calyptrogyne ghiesbreghtiana* (Arecaceae): Floral herbivory, pollen availability, and visitation by pollinating bats. *American Journal of Botany* 82: 1527-1536.
- Currie, R. W., and P. Gatien. 2006. Timing acaricide treatments to prevent *Varroa destructor* (Acari : Varroidae) from causing economic damage to honey bee colonies. *Canadian Entomologist* 138: 238-252.
- Danderson, C. A., B. Molano-Flores, and S. Raghu. 2008. Impact of floral herbivory by *Coleotechnites eryngiella* Bottimer (Lepidoptera : Gelechiidae) on the reproductive output of *Eryngium yuccifolium* Michaux (Apiaceae): a test of the reserve ovary model. *Plant Ecology* 197: 277-284.
- Danyk, T., M. Mackauer, and D. L. Johnson. 2005. The influence of host suitability on the range of grasshopper species utilized by *Blaesoxiphia atlantis* (Diptera : Sarcophagidae) in the field. *Bulletin of Entomological Research* 95: 571-578.
- Davis, G. R. 1961. Biting response of larvae of prairie grain wireworm, *Ctenicera aeripennis destructor* (Brown) (Coleoptera : Elateridae), to various extracts of germinating rye seed. *Canadian Journal of Zoology* 39: 299-&.
- Davis, G. R. F. 1966. Growth and development of prairie grain wireworm, *Ctenicera destructor* Brown (Coleoptera : Elateridae) on synthetic diets. *Canadian Journal of Zoology* 44(6): 995-1001.
- Davis, G. R. F. 1968. Effects of 2,4-D maleic acid Hydrazide and 2,4,5-T on survival and growth of prairie grain wireworm *Ctenicera destructor* Brown (Coleoptera : Elateridae). *Canadian Journal of Zoology* 46: 747-750.
- Davis, J. D., S. D. Hendrix, D. M. Debinski, and C. J. Hemsley. 2008. Butterfly, bee and forb community composition and cross-taxon incongruence in tallgrass prairie fragments. *Journal of Insect Conservation* 12: 69-79.
- de los Santos, A., E. J. Alonso, E. Hernandez, and A. M. Perez. 2002. Environmental correlates of darkling beetle population size (Col. Tenebrionidae) on the Canadas de Teide in Tenerife (Canary Islands). *Journal of Arid Environments* 50: 287-308.
- De Los Santos, A., F. Ferrer, J. P. De Nicolas, and T. O. Crist. 2006. Thermal habitat and life history of two congeneric species of darkling beetles (Coleoptera : Tenebrionidae) on Tenerife (Canary Islands). *Journal of Arid Environments* 65: 363-385.
- Delettre, Y. R. 1994. Fire disturbance of a chironomid (Diptera) community on heathlands. *Journal of Applied Ecology* 31: 560-570.
- Desiere, M. 1983. The ecology of coprophilic Coleoptera in a permanent grazing prairie. 1. Characteristics of populations of adult popophilic beetles – phrenology and seasonal dynamics. *Bulletin d' Ecologie* 14: 99-117.
- Deslippe, R. J., J. R. Salazar, and Y. J. Guo. 2001. A darkling beetle population in West Texas during the 1997-1998 El Nino. *Journal of Arid Environments* 49: 711-721.
- DeWalt, R. E., C. Favret, and D. W. Webb. 2005. Just how imperiled are aquatic insects? A case study of stoneflies (Plecoptera) in Illinois. *Annals of the Entomological Society of America* 98: 941-950.

- Dodds, W. K., M. A. Evans-White, N. M. Gerlanc, L. Gray, D. A. Gudder, M. J. Kemp, A. L. Lopez, D. Stagliano, E. A. Strauss, J. L. Tank, M. R. Whiles, and W. M. Wollheim. 2000. Quantification of the nitrogen cycle in a prairie stream. *Ecosystems* 3: 574-589.
- Dombos, M. 2001. Collembola of loess grassland: effects of grazing and landscape on community composition. *Soil Biology & Biochemistry* 33: 2037-2045.
- Dunn, J. P., C. J. Summerfield, and M. Johnson. 2002. Distribution, seasonal cycle, host plant records, and habitat evaluation of a Michigan threatened insect: The great plains spittlebug, *Lepyronia gibbosa* (Homoptera : Cercopidae). *Great Lakes Entomologist* 35: 121-129.
- Durham, W. F., and M. G. Tannenbaum. 1998. Effects of endophyte consumption on food intake, growth, and reproduction in prairie voles. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 76: 960-969.
- Ebert, T. A., and B. C. Kondratieff. 1992. Effects of a methamidophos application on *Pasimachus elongatus* Leconte (Coleoptera : Carabidae). *Journal of the Kansas Entomological Society* 65: 151-156.
- Eisen, R. J., J. L. Holmes, A. M. Schotthoefer, S. M. Vetter, J. A. Montenieri, and K. L. Gage. 2008. Demonstration of early-phase transmission of *Yersinia pestis* by the mouse flea, *Aetheca wagneri* (Siphonaptera: Ceratophylidae), and implications for the role of deer mice as enzootic reservoirs. *Journal of Medical Entomology* 45: 1160-1164.
- Enriquez-Quiroz, J. F., A. R. Quero-Carrillo, A. Hernandez-Garay, and E. Garcia-Moya. 2006. Azuche, *Hymenachne amplexicaulis* (Rudge) Nees, forage genetic resources for floodplains in tropical Mexico. *Genetic Resources and Crop Evolution* 53: 1405-1412.
- Evans, E. W. 1987. Dispersal of *Lygaeus kalmia* (Hemiptera : Lygaeidae) among prairie milkweeds – population turnover as influenced by multiple mating. *Journal of the Kansas Entomological Society* 60: 109-117.
- Evans, E. W. 1988. Grasshopper (Insecta : Orthoptera, Acrididae) assemblages of tallgrass prairie – influences of fire frequency, topography, and vegetation. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 66: 1495-1501.
- Evans, E. W. 1989. Interspecific interactions among phytophagous insects of tallgrass prairie – an experimental test. *Ecology* 70: 435-444.
- Evans, E. W., C. C. Smith, and R. P. Gendron. 1989. Timing of reproduction in a prairie legume – seasonal impacts of insects consuming flowers and seeds. *Oecologia* 78: 220-230.
- Evans, E. W. 1990. Dynamics of an aggregation of blister beetles (Coleoptera : Meloidae) attacking a prairie legume. *Journal of the Kansas Entomological Society* 63: 616-625.
- Evans, E. W. 1991. Experimental manipulation of herbivores in native tallgrass prairie – responses of aboveground arthropods. *American Midland Naturalist* 125: 37-46.
- Evans, E. W. 1992. Absence of interspecific competition among tallgrass prairie grasshoppers during a drought. *Ecology* 73: 1038-1044.
- Evans, E. W. 1995. Interactions among grasshoppers (Orthoptera : Acrididae) in intermountain grassland of western North America. *Oikos* 73: 73-78.
- Evenden, M. L. 2009. Biology of *Caloptilia fraxinella* (Lepidoptera : Gracillariidae) on ornamental green ash, *Fraxinus pennsylvanica* (Oleaceae). *Canadian Entomologist* 141: 31-39.
- Favret, C., and D. J. Voegtlin. 2001. Migratory aphid (Hemiptera : Aphididae) habitat selection in agricultural and adjacent natural habitats. *Environmental Entomology* 30: 371-379.
- Favret, C., J. F. Tooker, and L. M. Hanks. 2004. *Iowana frisoni* Hottes (Hemiptera : Aphididae) redescribed, with notes on its biology. *Proceedings of the Entomological Society of Washington* 106: 26-34.
- Fay, P. A., and R. J. Samenus. 1993. Gall wasp (Hymenoptera: Cynipidae) mortality in a spring tallgrass prairie. *Environmental Entomology* 22: 1333-1337.
- Fay, P. A., D. C. Hartnett, and A. K. Knapp. 1996. Plant tolerance of gall-insect attack and gall-insect performance. *Ecology* 77: 521-534.
- Fay, P. A. 2003. Insect diversity in two burned and grazed grasslands. *Environmental Entomology* 32: 1099-1104.
- Feder, J. L., and G. L. Bush. 1991. Genetic variation among apple and hawthorn host races of *Rhagoletis pomonella* across an ecological transition zone in the midwestern United States. *Entomologia Experimentalis Et Applicata* 59: 249-265.
- Ferguson, S. H. 2000. Predator size and distance to edge: is bigger better? *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 78: 713-720.

- Ferguson, S. H. 2001. Changes in trophic abundance of soil arthropods along a grass-shrub-forest gradient. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 79: 457-464.
- Ferguson, S. H. 2004. Does predation or moisture explain distance to edge distribution of soil arthropods? *American Midland Naturalist* 152: 75-87.
- Fielding, D. J., and M. A. Brusven. 1992. Food and habitat preferences of *Melanoplus sanguinipes* and *Aulocara elliotti* (Orthoptera : Acrididae) on disturbed rangeland in southern Idaho. *Journal of Economic Entomology* 85: 783-788.
- Fields, P. G., J. Vanloon, M. G. Dolinski, J. L. Harris, and W. E. Burkholder. 1993. The distribution of *Rhyzopertha dominica* (F) in western Canada. *Canadian Entomologist* 125: 317-328.
- Fields, P. G., and N. D. G. White. 1997. Survival and multiplication of stored-product beetles at simulated and actual winter temperatures. *Canadian Entomologist* 129: 887-898.
- Foote, A. L., and C. L. R. Hornung. 2005. Odonates as biological indicators of grazing effects on Canadian prairie wetlands. *Ecological Entomology* 30: 273-283.
- Forsyth, D. J., and N. D. Westcott. 1994. Carbofuran residues in grasshoppers and vegetation from aerially sprayed prairie pastures – potential effects on wildlife. *Environmental Toxicology and Chemistry* 13: 299-306.
- Foster, R. N., M. A. Quinn, L. L. Herbaugh, D. D. Walgenbach, R. L. Bohls, K. C. Reuter, and T. J. Roland. 1998. Effect of multiple concentrations and rates of an insecticidal bait on grasshoppers (Orthoptera : Acrididae) of mixedgrass prairie. *Journal of the Kansas Entomological Society* 71: 1-10.
- Foster, R. N., M. A. Quinn, K. C. Reuter, D. Colletto, R. Houston, M. J. Puclik, A. Scott, and B. Radick. 1999. Comparison of single and multiple applications of an insecticidal bait for controlling grasshoppers (Orthoptera : Acrididae) on mixed-grass prairie. *Journal of the Kansas Entomological Society* 72: 181-189.
- Francis, T. B., D. E. Schindler, and J. W. Moore. 2006. Aquatic insects play a minor role in dispersing salmon-derived nutrients into riparian forests in southwestern Alaska. *Canadian Journal of Fisheries and Aquatic Sciences* 63: 2543-2552.
- Francis, A., and S. I. Warwick. 2008. The biology of Canadian weeds. 3. *Lepidium draba* L., *L. chalepense* L., *L. appelianum* Al-Shehbaz (updated). *Canadian Journal of Plant Science* 88: 379-401.
- Franzen, L. D., A. R. Gutsche, T. M. Heng-Moss, L. G. Higley, G. Sarath, and J. D. Burd. 2007. Physiological and biochemical responses of resistant and susceptible wheat to injury by Russian wheat aphid. *Journal of Economic Entomology* 100: 1692-1703.
- Fritz, K. M., and W. K. Dodds. 1999. The effects of bison crossings on the macroinvertebrate community in a tallgrass prairie stream. *American Midland Naturalist* 141: 253-265.
- Führer, J. 2003. Agroecosystem responses to combinations of elevated CO₂, ozone, and global climate change. *Agriculture Ecosystems & Environment* 97: 1-20.
- Gehring, C., and A. Bennett. 2009. Mycorrhizal fungal-plant-insect interactions: The importance of a community approach. *Environmental Entomology* 38: 93-102.
- Goldstein, P. Z. 2004. Systematic collection data in North American invertebrate conservation and monitoring programmes. *Journal of Applied Ecology* 41: 175-180.
- Gonzalez-Vainer, P., and E. Morelli. 1999. Phenology and biology of the Dung beetle *Onthophagus hirculus* Mannerheim (Coleoptera : Scarabaeidae). *Coleopterists Bulletin* 53: 303-310.
- Goulet, H. 2003. Biodiversity of ground beetles (Coleoptera : Carabidae) in Canadian agricultural soils. *Canadian Journal of Soil Science* 83: 259-264.
- Gray, L. J. 1989. Emergence production and export of aquatic insects from a tallgrass prairie stream. *Southwestern Naturalist* 34: 313-318.
- Gray, L. J. 1993. Response of insectivorous birds to emerging aquatic insects in riparian habitats of a tallgrass prairie stream. *American Midland Naturalist* 129: 288-300.
- Greenwood, R. J., A. B. Sargeant, J. L. Piehl, D. A. Buhl, and B. A. Hanson. 1999. Foods and foraging of prairie striped skunks during the avian nesting season. *Wildlife Society Bulletin* 27: 823-832.
- Haden, G. A., D. W. Blinn, J. P. Shannon, and K. P. Wilson. 1999. Driftwood: an alternative habitat for macroinvertebrates in a large desert river. *Hydrobiologia* 397: 179-186.
- Hafliger, P., M. Schwarzaender, and B. Blossey. 2005. Biology of *Platycephala planifrons* (Diptera : Chloropidae) and its potential effectiveness as biological control agent for invasive *Phragmites australis* in North America. *Biological Control* 34: 302-311.

- Hall, D. L., M. R. Willig, D. L. Moorhead, R. W. Sites, E. B. Fish, and T. R. Mollhagen. 2004. Aquatic macroinvertebrate diversity of playa wetlands: The role of landscape and island biogeographic characteristics. *Wetlands* 24: 77-91.
- Hamilton, K. G. A. 2005. Bugs reveal an extensive, long-lost northern tallgrass prairie. *Bioscience* 55: 49-59.
- Hanavan, R.P. 2008. The influence of agricultural practices and diverse perennial habitats on the biology and ecology of the pea leaf weevil, *Sitona lineatus* (L.) (Coleoptera: Curculionidae). Ph.D. dissertation. University of Idaho, Moscow, Idaho.
- Hannon, S. J., and K. Martin. 2006. Ecology of juvenile grouse during the transition to adulthood. *Journal of Zoology* 4: 422-433.
- Hanson, M. A., and M. R. Riggs. 1995. Potential effects of fish predation on wetland invertebrates – a comparison of wetlands with and without fathead minnows. *Wetlands* 15: 167-175.
- Hanula, J. L., and D. D. Wade. 2003. Influence of long-term dormant-season burning and fire exclusion on ground-dwelling arthropod populations in longleaf pine flatwoods ecosystems. *Forest Ecology and Management* 175: 163-184.
- Harper, M. G., C. H. Dietrich, R. L. Larimore, and P. A. Tessene. 2000. Effects of prescribed fire on prairie arthropods: An enclosure study. *Natural Areas Journal* 20: 325-335.
- Harris, M. O., J. L. Dando, W. Griffin, and C. Madie. 1996. Susceptibility of cereal and non-cereal grasses to attack by Hessian fly (*Mayetiola destructor* (Say)). *New Zealand Journal of Crop and Horticultural Science* 24: 229-238.
- Hart, E. A., and J. R. Lovvorn. 2005. Patterns of macroinvertebrate abundance in inland saline wetlands: a trophic analysis. *Hydrobiologia* 541: 45-54.
- Hartley, M. K., W. E. Rogers, E. Siemann, and J. Grace. 2007. Responses of prairie arthropod communities to fire and fertilizer: Balancing plant and arthropod conservation. *American Midland Naturalist* 157: 92-105.
- Hartzell, D., J. R. Bidwell, and C. A. Davis. 2007. A comparison of natural and created depressional wetlands in central Oklahoma using metrics from indices of biological integrity. *Wetlands* 27: 794-805.
- Hatten, T. D., S. D. Eigenbrode, N. A. Bosque-Pérez, S. Gebbie, F. Merickel, and C. Looney. 2006. Influence of matrix elements on prairie-inhabiting Curculionidae, Tenebrionidae and Scarabaeidae in the Palouse. In D. Egan and J. Harrington [eds.], *Proceedings of the Nineteenth North American Prairie Conference*. Madison: University Communications, Madison, WI.
- Hatten, T. D. 2006. Assessing the influence of agricultural practices, topographic features, and native habitats on the epigaeal beetle fauna of the Palouse. Ph.D. dissertation. University of Idaho, Moscow, Idaho.
- Hayman, D. I., K. E. MacKenzie, and E. G. Reekie. 2003. The influence of pruning on wasp inhabitants of Galls induced by *Hemadas nubilipennis* Ashmead (Hymenoptera : Pteromalidae) on lowbush blueberry. *Journal of Economic Entomology* 96: 1245-1253.
- Hemachandra, K. S., N. J. Holliday, J. Klimaszewski, P. G. Mason, and U. Kuhlmann. 2005. Erroneous records of *Aleochara bipustulata* from North America: an assessment of the evidence. *Canadian Entomologist* 137: 182-187.
- Henderson, G., and R. L. Jeanne. 1992. Population biology and foraging ecology of prairie ants in southern Wisconsin (Hymenoptera : Formicidae). *Journal of the Kansas Entomological Society* 65: 16-29.
- Hendrix, P. F., G. H. Baker, M. A. Callaham, G. A. Damoff, C. Fragoso, G. Gonzalez, S. W. James, S. L. Lachnicht, T. Winsome, and X. Zou. 2006. Invasion of exotic earthworms into ecosystems inhabited by native earthworms. *Biological Invasions* 8: 1287-1300.
- Herzig, A. L., and C. Skema. 2004. Feeding behavior and performance of a rabbitbrush leaf-beetle (*Trirhabda lewisii*) feeding on *Chrysothamnus nauseosus* regrowth after fire. *Western North American Naturalist* 64: 249-256.
- Hicks, A. L., and R. F. Whitcomb. 1993. The genus *Laevicephalus* (Homoptera : Cicadellidae): Hosts, biogeography, and 3 new species. *Proceedings of the Entomological Society of Washington* 95: 481-487.
- Hill, P. S. M. 1999. Lekking in *Gryllotalpa major*, the prairie, mole cricket (Insecta : Gryllotalpidae). *Ethology* 105: 531-545.
- Hill, J. G., K. S. Summerville, and R. L. Brown. 2008. Habitat associations of ant species (Hymenoptera : Formicidae) in a heterogeneous Mississippi landscape. *Environmental Entomology* 37: 453-463.
- Hines, H. M., and S. D. Hendrix. 2005. Bumble bee (Hymenoptera : Apidae) diversity and abundance in tallgrass prairie patches: Effects of local and landscape floral resources. *Environmental Entomology* 34: 1477-1484.

- Hinnebusch, B. J., K. L. Gage, and T. G. Schwan. 1998. Estimation of vector infectivity rates for plague by means of a standard curve-based competitive polymerase chain reaction method to quantify *Yersinia pestis* in fleas. American Journal of Tropical Medicine and Hygiene 58: 562-569.
- Hochkirch, A., and F. Adorf. 2007. Effects of prescribed burning and wildfires on Orthoptera in Central European peat bogs. Environmental Conservation 34: 225-235.
- Hoffman, A. L., and J. A. Wiens. 2004. Scaling of the tenebrionid beetle community and its environment on the Colorado shortgrass steppe. Ecology 85: 629-636.
- Hogg, E. H., J. P. Brandt, and B. Kochtubajda. 2002. Growth and dieback of Aspen forests in northwestern Alberta, Canada, in relation to climate and insects, pp. 823-832.
- Holder, M. W., and S. W. Wilson. 1992. Life-history and descriptions of the immature stages of the planthopper *Prokelisia crocea* (Vanduzee) (Homoptera : Delphacidae). Journal of the New York Entomological Society 100: 491-497.
- Holloway, G. L., and R. M. R. Barclay. 2000. Importance of prairie riparian zones to bats in southeastern Alberta. Ecoscience 7: 115-122.
- Hoogland, J. L., S. Davis, S. Benson-Amram, D. Labruna, B. Goossens, and M. A. Hoogland. 2004. Pyraperm kills fleas and halts plague among utah prairie dogs. Southwestern Naturalist 49: 376-383.
- Huber, R. L., and V. F. Wright. 2002. First Kansas record for *Tetraopes texanus* (Coleoptera: Cerambycidae). Journal of the Kansas Entomological Society 75: 341-341.
- Hudson, E. E., and P. Stiling. 1997. Exploitative competition strongly affects the herbivorous insect community on *Baccharis halimifolia*. Oikos 79: 521-528.
- Huebschman, J. J., and T. B. Bragg. 2000. Response of regal fritillary (*Speyeria idalia* Drury) to spring burning in an eastern Nebraska tallgrass prairie, USA. Natural Areas Journal 20: 386-388.
- Huntsman, B. O., R. W. Baumann, and B. C. Kondratieff. 2001. The stoneflies (Plecoptera) of South Dakota. Entomological News 112: 104-111.
- Imbert, J. B., and J. A. Stanford. 1996. An ecological study of a regulated prairie stream in western Montana. Regulated Rivers : Research & Management 12: 597-615.
- Jackson, W. 2002. Natural systems agriculture: a truly radical alternative. Agriculture, Ecosystems and Environment 88: 111-117.
- Jia, F., M. D. Toewsbi, J. F. Campbell, and S. B. Ramaswamy. 2008. Survival and reproduction of lesser grain borer, *Rhyzopertha dominica* (F.) (Coleoptera : Bostrichidae) on flora associated with native habitats in Kansas. Journal of Stored Products Research 44: 366-372.
- Joern, A., and G. Klucas. 1993. Intraspecific and interspecific competition in adults of 2 abundant grasshoppers (Orthoptera, Acridiae) from a sandhills grassland. Environmental Entomology 22: 352-361.
- Joern, A. 2005. Disturbance by fire frequency and bison grazing modulate grasshopper assemblages in tallgrass prairie. Ecology 86: 861-873.
- Johnson, S. R. 1996. Use of coleopteran prey by *Phidippus audax* (Araneae : Salticidae) in tallgrass prairie wetlands. Journal of Arachnology 24: 39-42.
- Johnson, S. R., and A. K. Knapp. 1996. Impact of *Ischnodemus falicus* (Hemiptera: Lygaeidae) on photosynthesis and production of *Spartina pectinata* wetlands. Environmental Entomology 25: 1122-1127.
- Johnson, Z. B., and J. H. Kennedy. 2003. Macroinvertebrate assemblages of submerged woody debris in the Elm Fork of the Trinity River, Texas. Journal of Freshwater Ecology 18: 187-197.
- Johnston, J. M. 2000. The contribution of microarthropods to aboveground food webs: A review and model of belowground transfer in a coniferous forest. American Midland Naturalist 143: 226-238.
- Jonas, J. L., M. R. Whiles, and R. E. Charlton. 2002. Aboveground invertebrate responses to land management differences in a central Kansas grassland. Environmental Entomology 31: 1142-1152.
- Jonas, J. L., G. W. T. Wilson, P. M. White, and A. Joern. 2007. Consumption of mycorrhizal and saprophytic fungi by Collembola in grassland soils. Soil Biology & Biochemistry 39: 2594-2602.
- Jyoti, J. L., and J. P. Michaud. 2005. Comparative biology of a novel strain of Russian wheat aphid (Homoptera : Aphididae) on three wheat cultivars. Journal of Economic Entomology 98: 1032-1039.
- Kamler, J. F., W. B. Ballard, M. C. Wallace, and P. S. Gipson. 2007. Diets of swift foxes (*Vulpes velox*) in continuous and fragmented prairie in northwestern Texas. Southwestern Naturalist 52: 504-510.

- Kandeler, E., D. Tscherko, R. D. Bardgett, P. J. Hobbs, C. Kampichler, and T. H. Jones. 1998. The response of soil microorganisms and roots to elevated CO₂ and temperature in a terrestrial model ecosystem. *Plant and Soil* 202: 251-262.
- Karhu, R., and S. Anderson. 2000. Effects of pyriproxyfen spray, powder, and oral bait treatments on the relative abundance of fleas (Siphonaptera : Ceratophyllidae) in black-tailed prairie dog (Rodentia : Sciuridae) towns. *Journal of Medical Entomology* 37: 864-871.
- Karhu, R. R., and S. H. Anderson. 2000. Effects of pyriproxyfen spray, powder, and oral bait treatments on the relative abundance of nontarget arthropods of black-tailed prairie dog (Rodentia : Sciuridae) towns. *Journal of Medical Entomology* 37: 612-618.
- Kedwards, T. J., S. J. Maund, and P. F. Chapman. 1999. Community level analysis of ecotoxicological field studies: I. Biological monitoring. *Environmental Toxicology and Chemistry* 18: 149-157.
- Kemp, W. P., and B. Dennis. 1991. Toward a general model of rangeland grasshopper (Orthoptera : Acrididae) phenology in the steppe region of Montana. *Environmental Entomology* 20: 1504-1515.
- Kemp, W. P. 1992. Rangeland grasshopper (Orthopera : Acridiae) community structure: a working hypothesis. *Environmental Entomology* 21: 461-470.
- King, R. S., and D. A. Wrubleski. 1998. Spatial and diel availability of flying insects as potential duckling food in prairie wetlands. *Wetlands* 18: 100-114.
- Kittelson, P. M., and S. D. Handler. 2006. Genetic diversity in isolated patches of the tallgrass prairie forb, *Lithospermum canescens* (Boraginaceae). *Journal of the Torrey Botanical Society* 133: 513-518.
- Kremer, R. J., A. J. Caesar, and T. Souissi. 2006. Soilborne microorganisms of *Euphorbia* are potential biological control agents of the invasive weed leafy spurge. *Applied Soil Ecology* 32: 27-37.
- Kwaiser, K. S., and S. D. Hendrix. 2008. Diversity and abundance of bees (Hymenoptera : Apiformes) in native and ruderal grasslands of agriculturally dominated landscapes. *Agriculture, Ecosystems & Environment* 124: 200-204.
- Lahr, J., A. O. Diallo, B. Gadji, P. S. Diouf, J. J. M. Bedaux, A. Badji, K. B. Ndour, J. E. Andreasen, and N. M. van Straalen. 2000. Ecological effects of experimental insecticide applications on invertebrates in Sahelian temporary ponds. *Environmental Toxicology and Chemistry* 19: 1278-1289.
- Landwer, B. H. P., and R. W. Sites. 2003. Redescription of the larva of *Gomphus militaris* Hagen (Odonata : Gomphidae), with distributional and life history notes. *Proceedings of the Entomological Society of Washington* 105: 304-311.
- Langor, D., L. DeHaas, and R. Foottit. 2009. Diversity of non-native terrestrial arthropods on woody plants in Canada. *Biological Invasions* 11: 5-19.
- Lariviere, S., and F. Messier. 2000. Habitat selection and use of edges by striped skunks in the Canadian prairies. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 78: 366-372.
- Larsen, K. I., T. T. Work, and F. F. Purrington. 2003. Habitat use patterns by ground beetles (Coleoptera : Carabidae) of northeastern Iowa. *Pedobiologia* 47: 288-299.
- Larson, D. L., J. B. Grace, P. A. Rabie, and P. Andersen. 2007. Short-term disruption of a leafy spurge (*Euphorbia esula*) biocontrol program following herbicide application. *Biological Control* 40: 1-8.
- Lavigne, R. J., and M. K. Campion. 1978. Effect of ecosystem stress on abundance and biomass of Carabidae (Coleoptera) on shortgrass paririe. *Environmental Entomology* 7: 88-92.
- Lavigne, R. J. 1980. Food of some shortgrass prairie Coleoptera. *Entomological News* 91: 37-42.
- Li, Z., M. J. Apps, E. Banfield, and W. A. Kurz. 2002. Estimating net primary production of forests in the Canadian Prairie Provinces using an inventory-based carbon budget model. *Canadian Journal of Forest Research-Revue Canadienne De Recherche Forestiere* 32: 161-169.
- Linz, G. M., W. J. Bleier, J. D. Overland, and H. J. Homan. 1999. Response of invertebrates to glyphosate-induced habitat alterations in wetlands. *Wetlands* 19: 220-227.
- Liu, C. Z., S. R. Zhou, L. Yan, and F. N. Huang. 2007. Competition among the adults of three grasshoppers (Orthoptera, Acrididae) on an alpine grassland. *Journal of Applied Entomology* 131: 153-159.
- Lockwood, J. A. 1993. Environmental issues involved in biological control of rangeland grasshoppers (Orthoptera, Acrididae) with exotic agents. *Environmental Entomology* 22: 503-518.
- Lockwood, S. A., and D. A. Pollock. 2009. A review of the genus *Glyptasida* Casey (Coleoptera: Tenebrionidae: Asidini). *Zootaxa*: 1-27.

- Looney, C., T. Caldwell, T. Hatten, C. Lorion, and S. D. Eigenbrode. 2006. Potential habitat factors influencing carrion beetle communities of Palouse Prairie remnants. In D. Egan and J. Harrington [eds.], Proceedings of the Nineteenth North American Prairie Conference. Madison: University Communications, Madison, WI.
- Looney, C. 2008. Habitat fragmentation and loss on the Palouse and its impact on arthropod conservation. Ph.D. dissertation. University of Idaho, Moscow, Idaho.
- Losey, J. E., and M. Vaughan. 2006. The economic value of ecological services provided by insects. Bioscience 56: 311-323.
- Louda, S. M., and M. A. Potvin. 1995. Effect of inflorescence-feeding insects on the demography and lifetime fitness of a native plant. Ecology 76: 229-245.
- Louda, S. M. 1998. Population growth of *Rhinocyllus conicus* (Coleoptera : Curculionidae) on two species of native thistles in Prairie. Environmental Entomology 27: 834-841.
- Louda, S. M., and C. W. O'Brien. 2002. Unexpected ecological effects of distributing the exotic weevil, *Larinus planus* (F.), for the biological control of Canada thistle. Conservation Biology 16: 717-727.
- Lym, R. G. 2005. Integration of biological control agents with other weed management technologies: Successes from the leafy spurge (*Euphorbia esula*) IPM program. Biological Control 35(3): 366-375.
- Maamri, A., E. Pattee, S. Doledec, and H. Chergui. 2005. The benthic macroinvertebrate assemblages in the Zegzel-Cherraa, a partly-temporary river system, Eastern Morocco. Annales De Limnologie-International Journal of Limnology 41: 247-257.
- Macgown, M. W., and T. L. Schiefer. 1992. Disjunct distribution and a new record for an anthophorid bee, *Xenoglossodes-albata* (Hymenoptera: Anthophoridae), in southeastern United States. Entomological News 103: 81-82.
- Malmstrom, A., T. Persson, and K. Ahlstrom. 2008. Effects of fire intensity on survival and recovery of soil microarthropods after a clearcut burning. Canadian Journal of Forest Research-Revue Canadienne De Recherche Forestiere 38: 2465-2475.
- Manning, A. E. E., and C. M. White. 2001. Nest site selection by Mountain Plovers (*Charadrius montanus*) in a shrub-steppe habitat. Western North American Naturalist 61: 229-235.
- Marlin, J. C., and W. E. LaBerge. 2001. The native bee fauna of Carlinville, Illinois, revisited after 75 years: a case for persistence. Conservation Ecology 5: U91-U116.
- Mason, P. G., O. Olfert, L. Sluchinski, R. M. Weiss, C. Boudreault, M. Grossrieder, and U. Kuhlmann. 2003. Actual and potential distribution of an invasive canola pest, *Meligethes viridescens* (Coleoptera : Nitidulidae), in Canada. Canadian Entomologist 135: 405-413.
- Mawdsley, J. R. 2002. Ecological notes on species of Cleridae (Insecta : Coleoptera) associated with the prairie flora of Central North America. Great Lakes Entomologist 35: 15-22.
- Mazia, C. N., E. J. Chaneton, and T. Kitzberger. 2006. Small-scale habitat use and assemblage structure of ground-dwelling beetles in a Patagonian shrub steppe. Journal of Arid Environments 67: 177-194.
- McCormick, P. V., R. B. E. Shuford, and P. S. Rawlik. 2004. Changes in macroinvertebrate community structure and function along a phosphorus gradient in the Florida Everglades. Hydrobiologia 529: 113-132.
- McIntyre, N. E. 1995. Methamidophos application effects on *Pasimachus longatus* (Coleoptera : Carabidae): an update. Environmental Entomology 24: 559-563.
- McIntyre, N. E. 1997. Scale-dependent habitat selection by the darkling beetle *Eleodes hispilabris* (Coleoptera: Tenebrionidae). American Midland Naturalist 138: 230-235.
- McIntyre, N. E., and J. A. Wiens. 1999. Interactions between landscape structure and animal behavior: the roles of heterogeneously distributed resources and food deprivation on movement patterns. Landscape Ecology 14: 437-447.
- McIntyre, N. E., and J. A. Wiens. 1999. How does habitat patch size affect animal movement? An experiment with darkling beetles. Ecology 80: 2261-2270.
- McIntyre, N. E., and J. A. Wiens. 1999. Interactions between habitat abundance and configuration: experimental validation of some predictions from percolation theory. Oikos 86: 129-137.
- McIntyre, N. E. 2000. Community structure of *Eleodes* beetles (Coleoptera : Tenebrionidae) in the shortgrass steppe: Scale-dependent uses of heterogeneity. Western North American Naturalist 60: 1-15.
- McIntyre, N. E., and J. A. Wiens. 2000. A novel use of the lacunarity index to discern landscape function. Landscape Ecology 15: 313-321.

- McIntyre, N. E., and T. R. Thompson. 2003. A comparison of conservation reserve program habitat plantings with respect to arthropod prey for grassland birds. *American Midland Naturalist* 150: 291-301.
- McIntyre, N. E. 2003. Effects of conservation reserve program seeding regime on harvester ants (*Pogonomyrmex*), with implications for the threatened Texas horned lizard (*Phrynosoma cornutum*). *Southwestern Naturalist* 48: 274-277.
- McKone, M., K. K. McLauchlan, E. G. Lebrun, and A. C. McCall. 2001. An edge effect caused by adult corn-rootworm beetles on sunflowers in tallgrass prairie remnants. *Conservation Biology* 15: 1315-1324.
- McMillan, B. R., M. R. Cottam, and D. W. Kaufman. 2000. Wallowing behavior of American bison (*Bos bison*) in tallgrass prairie: an examination of alternate explanations. *American Midland Naturalist* 144: 159-167.
- Melbourne, B. A. 1999. Bias in the effect of habitat structure on pitfall traps: An experimental evaluation. *Australian Journal of Ecology* 24: 228-239.
- Menges, E. S. 1995. Factors limiting fecundity and germination in small populations of *Silene regia* (Caryophyllaceae), a rare hummingbird-pollinated prairie forb. *American Midland Naturalist* 133: 242-255.
- Metcalf, R. L., R. L. Lampman, and P. A. Lewis. 1998. Comparative kairomonal chemical ecology of diabroticite beetles (Coleoptera : Chrysomelidae : Galerucinae : Luperini : Diabroticina) in a reconstituted tallgrass prairie ecosystem. *Journal of Economic Entomology* 91: 881-890.
- Michaud, J. P., and J. A. Qureshi. 2005. Induction of reproductive diapause in *Hippodamia convergens* (Coleoptera : Coccinellidae) hinges on prey quality and availability, pp. 483-487.
- Milcu, A., J. Schumacher, and S. Scheu. 2006. Earthworms (*Lumbricus terrestris*) affect plant seedling recruitment and microhabitat heterogeneity. *Functional Ecology* 20: 261-268.
- Miller, A. M., and S. W. Golladay. 1996. Effects of spates and drying on macroinvertebrate assemblages of an intermittent and a perennial prairie stream. *Journal of the North American Benthological Society* 15: 670-689.
- Molano-Flores, B. 2009. Insect herbivory of ovules and seeds in native and restored prairies. *Restoration Ecology* 17: 187-191.
- Morrill, P. K., and B. R. Neal. 1990. Impact of Deltamethrin insecticide on Chironomidae (Diptera) of prairie ponds. *Canadian Journal of Zoology-Revue Canadienne De Zoologie* 68: 289-296.
- Morrill, W. L., D. K. Weaver, and G. D. Johnson. 2001. Trap strip and field border modification for management of the wheat stem sawfly (Hymenoptera : Cephidae). *Journal of Entomological Science* 36: 34-45.
- Mueller, J. M., C. B. Dabbert, S. Demarais, and A. R. Forbes. 1999. Northern bobwhite chick mortality caused by red imported fire ants. *Journal of Wildlife Management* 63: 1291-1298.
- Mulvaney, C. R., B. Molano-Flores, and D. W. Whitman. 2006. Is insect herbivory contributing to the threatened status of *Agalinis auriculata* (Orobanchaceae) in Illinois? *Journal of the Torrey Botanical Society* 133: 560-565.
- Murray, P. J., R. Cook, A. F. Currie, L. A. Dawson, A. C. Gange, S. J. Grayston, and A. M. Treonis. 2006. Interactions between fertilizer addition, plants and the soil environment: Implications for soil faunal structure and diversity. *Applied Soil Ecology* 33: 199-207.
- Muscha, M. J., K. D. Zimmer, M. G. Butler, and M. A. Hanson. 2001. A comparison of horizontally and vertically deployed aquatic invertebrate activity traps. *Wetlands* 21: 301-307.
- Muths, E. L. 1991. Substrate discrimination in burying beetles, *Nicrophorus orbicollis* (Coleoptera, Silphidae). *Journal of the Kansas Entomological Society* 64: 447-450.
- Nadeau, L., P. E. Cushing, and B. C. Kondratieff. 2006. Effects of fire disturbance on grasshopper (Orthoptera : Acrididae) assemblages of the Comanche National Grasslands, Colorado. *Journal of the Kansas Entomological Society* 79: 2-12.
- Nansen, C., D. K. Weaver, S. E. Sing, J. B. Runyon, W. L. Morrill, M. J. Grieshop, C. L. Shannon, and M. L. Johnson. 2005. Within-field spatial distribution of *Cephus cinctus* (Hymenoptera : Cephidae) larvae in Montana wheat fields. *Canadian Entomologist* 137: 202-214.
- Nascarella, M. A., C. M. Bradford, T. H. Burns, E. J. Marsland, C. M. Pepper, and S. M. Presley. 2005. Ectoparasite fleas of cottontail rabbits and black-tailed prairie dogs inhabiting the high plains of West Texas. *Southwestern Entomologist* 30: 239-243.
- Nelson, R. E. 1997. Implications of subfossil Coleoptera for the evolution of the Mima Mounds of southwestern Puget Lowland, Washington. *Quaternary Research* 47: 356-358.

- Nemec, K. T., and T. B. Bragg. 2008. Plant-feeding Hemiptera and Orthoptera communities in native and restored mesic tallgrass prairies. *Restoration Ecology* 16: 324-335.
- Novak, R. J. 1981. Oviposition sites of *Aedes vexans* (Diptera: Culicidae) wet prairie habitats. *Canadian Entomologist* 113: 57-64.
- Olfert, O., R. M. Weiss, S. Woods, H. Philip, and L. Dosdall. 2004. Potential distribution and relative abundance of an invasive cereal crop pest, *Oulema melanopus* (Coleoptera : Chrysomelidae), in Canada. *Canadian Entomologist* 136: 277-287.
- Olfert, O., R. Hallett, R. M. Weiss, J. Soroka, and S. Goodfellow. 2006. Potential distribution and relative abundance of swede midge, *Contarinia nasturtii*, an invasive pest in Canada. *Entomologia Experimentalis Et Applicata* 120: 221-228.
- Orr, D. B., and J. M. Pleasants. 1996. The potential of native prairie plant species to enhance the effectiveness of the *Ostrinia nubilalis* parasitoid *Macrocentrus grandii*. *Journal of the Kansas Entomological Society* 69: 133-143.
- Ostrow, D. G., N. Huntly, and R. S. Inouye. 2002. Plant-mediated interactions between the northern pocket gopher, *Thomomys talpoides*, and aboveground herbivorous insects. *Journal of Mammalogy* 83: 991-998.
- Otfinowski, R., N. C. Kenkel, and P. M. Catling. 2007. The biology of Canadian weeds. 134. *Bromus inermis* Leyss. *Canadian Journal of Plant Science* 87: 183-198.
- Owen, W. K., J. E. Lloyd, D. E. Legg, and R. Kumar. 2006. Endocorpid activity of *Aphodius fossor* (Coleoptera : Scarabaeidae) related to bovine dung decomposition in a mixed grass prairie. *Journal of Economic Entomology* 99: 2210-2215.
- Oyediran, I. O., B. E. Hibbard, and T. L. Clark. 2004. Prairie grasses as hosts of the western corn rootworm (Coleoptera : Chrysomelidae). *Environmental Entomology* 33: 740-747.
- Oyediran, I. O., B. W. French, T. L. Clark, K. E. Dashiell, and B. E. Hibbard. 2008. Prairie grasses as hosts of the northern corn rootworm (Coleoptera : Chrysomelidae). *Environmental Entomology* 37: 247-254.
- Panzer, R., D. Stillwaugh, R. Gnaedinger, and G. Derkovitz. 1995. Prevalence of remnant dependence among the prairie-inhabiting insects of the Chicago region. *Natural Areas Journal* 15: 101-116.
- Panzer, R., J. Shuey, and D. Stillwaugh. 1997. Characterizing insects within fragmented landscapes. *Natural Areas Journal* 17: 53-55.
- Panzer, R., and M. W. Schwartz. 1998. Effectiveness of a vegetation-based approach to insect conservation. *Conservation Biology* 12: 693-702.
- Panzer, R. 2002. Compatibility of prescribed burning with the conservation of insects in small, isolated prairie reserves. *Conservation Biology* 16: 1296-1307.
- Panzer, R. 2003. Importance of in situ survival, recolonization, and habitat gaps in the postfire. Recovery of fire-sensitive prairie insect species. *Natural Areas Journal* 23: 14-21.
- Pearson, D. E., K. S. McKelvey, and L. F. Ruggiero. 2000. Non-target effects of an introduced biological control agent on deer mouse ecology. *Oecologia* 122: 121-128.
- Peschken, D. P., and K. C. Sawchyn. 1993. Host-specificity and suitability of *Apion hookeri* Kirby (Coleoptera : Curculionidae), a candidate for the biological control of scentless chamomile, *Matricaria perforata* Merat (Asteraceae), in Canada. *Canadian Entomologist* 125: 619-628.
- Petersen, C. E., and J. A. Sloboda. 1994. Selective pod abortion by *Baptisia leucantha* (Fabaceae) as affected by a curculionid seed predator, *Apion rostrum* (Coleoptera). *Great Lakes Entomologist* 27: 143-147.
- Phillips, I. D., D. Parker, and G. McMaster. 2008. Aquatic invertebrate fauna of a northern prairie stream: Range extensions and water quality characteristics. *Western North American Naturalist* 68: 173-185.
- Pike, K. S., P. Stary, D. Allison, G. Graf, L. Boydston, and T. Miller. 1997. Parasitoids (Hymenoptera: Braconidae: Aphidiinae) of aphids on big sagebrush (*Artemisia tridentata* Nuttall) and prairie sage (*Artemisia ludoviciana* Nuttall) in Washington state. *Proceedings of the Entomological Society of Washington* 99: 143-155.
- Pocewicz, A., P. Morgan and S.D. Eigenbrode. 2009. Local and landscape effects on butterfly density in northern Idaho grasslands and forests. *Journal of Insect Conservation* (DOI 10.1007/s10841-008-9209-7).
- Powell, A., W. H. Busby, and K. Kindscher. 2007. Status of the regal fritillary (*Speyeria idalia*) and effects of fire management on its abundance in northeastern Kansas, USA. *Journal of Insect Conservation* 11: 299-308.
- Prestidge, R. A. 1992. Population biology and parasitism of hessian fly *Mayetiola destructor* (Diptera : Cecidomyiidae) on *Bromus willdenowii* in New Zealand. *New Zealand Journal of Agricultural Research* 35: 423-428.

- Quinn, M. A., R. L. Kepner, D. D. Walgenbach, R. N. Foster, R. A. Bohls, P. D. Pooler, K. C. Reuter, and J. L. Swain. 1991. Effect of habitat characteristics and perturbation from insecticides on the community dynamics of ground beetles (Coleoptera : Carabidae) on mixed-grass rangelands. *Environmental Entomology* 20: 1285-1294.
- Quinn, M. A., S. E. Halbert, and L. Williams. 1991. Spatial and temporal changes in aphid (Homoptera : Aphididae) species assemblages collected with suction traps in Idaho. *Journal of Economic Entomology* 84: 1710-1716.
- Quinn, M. A., P. S. Johnson, C. H. Butterfield, and D. D. Walgenbach. 1993. Effect of grasshopper (Orthopera : Acrididae) density and plant composition on growth and destruction of grasses. *Environmental Entomology* 22: 993-1002.
- Quinn, M. A., D. D. Walgenbach, R. N. Foster, K. C. Reuter, and J. P. McCaffrey. 1995. Tritrophic associations between spider wasps (Hymenoptera : Pompilidae), wolf spiders (Araneae : Lycosidae), and grasshoppers (Orthoptera : Acrididae) on mixed-grass prairie. *Journal of the Kansas Entomological Society* 68: 7-19.
- Ram, K., D. S. Gruner, J. P. McLaughlin, E. L. Preisser, and D. R. Strong. 2008. Dynamics of a subterranean trophic cascade in space and time. *Journal of Nematology* 40(2): 85-92.
- Rambo, J. L., and S. H. Faeth. 1999. Effect of vertebrate grazing on plant and insect community structure. *Conservation Biology* 13: 1047-1054.
- Randolph, T. L., F. B. Peairs, M. Koch, C. B. Walker, J. R. Stubbs, J. S. Quick, and S. D. Haley. 2005. Yield response and categories of resistance to Russian wheat aphid in four Dn4 hard red winter wheat cultivars. *Journal of Economic Entomology* 98: 588-594.
- Randolph, T. L., F. B. Peairs, S. Merrill, M. Koch, and C. B. Walker. 2007. Yield response to Russian wheat aphid (Homoptera : Aphididae) in mixtures of resistant and susceptible winter wheats. *Southwestern Entomologist* 32: 7-15.
- Randolph, T. L., S. C. Merrill, and F. B. Peairs. 2008. Reproductive rates of Russian wheat aphid (Hemiptera : Aphididae) biotypes 1 and 2 on a susceptible and a resistant wheat at three temperature regimes. *Journal of Economic Entomology* 101: 955-958.
- Reece, P. E., J. E. Brummer, B. K. Northup, A. E. Koehler, and L. E. Moser. 2004. Interactions among Western ragweed and other sandhills species after drought. *Journal of Range Management* 57: 583-589.
- Reed, C. C. 1997. Responses of prairie insects and other arthropods to prescription burns. *Natural Areas Journal* 17: 380-385.
- Reed, A. W., G. A. Kaufman, and D. W. Kaufman. 2006. Effect of plant litter on seed predation in three prairie types. *American Midland Naturalist* 155: 278-285.
- Reeve, J. D., J. T. Cronin, and K. J. Haynes. 2008. Diffusion models for animals in complex landscapes: incorporating heterogeneity among substrates, individuals and edge behaviours. *Journal of Animal Ecology* 77: 898-904.
- Reeves, W. K., T. E. Rogers, and G. A. Dasch. 2007. Bartonella and Rickettsia from fleas (Siphonaptera : Ceratophyllidae) of prairie dogs (*Cynomys* spp.) from the western United States. *Journal of Parasitology* 93: 953-955.
- Riley, T. Z., C. A. Davis, and R. A. Smith. 1993. Autumn and winter foods of the lesser prairie-chicken (*Tympanuchus pallidicinctus*) (Galliformes : Tetraonidae). *Great Basin Naturalist* 53: 186-189.
- Rintoul, D. A., L. M. Krueger, C. Woodard, and J. E. Throne. 2005. Carrion beetles (Coleoptera : Silphidae) of the Konza Prairie Biological Station. *Journal of the Kansas Entomological Society* 78: 124-133.
- Risch, A. C., M. F. Jurgensen, A. J. Storer, M. D. Hyslop, and M. Schutz. 2008. Abundance and distribution of organic mound-building ants of the *Formica rufa* group in Yellowstone National Park. *Journal of Applied Entomology* 132: 326-336.
- Ritchie, M. E. 2000. Nitrogen limitation and trophic vs. abiotic influences on insect herbivores in a temperate grassland. *Ecology* 81: 1601-1612.
- Robson, D. B. 2008. The structure of the flower insect visitor system in tallgrass prairie. *Botany-Botanique* 86: 1266-1278.
- Roughley, R. E., D. A. Pollock, and D. J. Wade. 2006. Biodiversity of ground beetles (Coleoptera : Carabidae) and spiders (Araneae) across a tallgrass prairie - aspen forest ecotone in southern Manitoba. *Canadian Entomologist* 138: 545-567.
- Russell, F. L., and S. M. Louda. 2004. Phenological synchrony affects interaction strength of an exotic weevil with Platte thistle, a native host plant. *Oecologia* 139: 525-534.

- Russell, F. L., and S. M. Louda. 2005. Indirect interaction between two native thistles mediated by an invasive exotic floral herbivore. *Oecologia* 146: 373-384.
- Russell, F. L., S. M. Louda, T. A. Rand, and S. D. Kachman. 2007. Variation in herbivore-mediated indirect effects of an invasive plant on a native plant. *Ecology* 88: 413-423.
- Salkeld, D. J., and P. Stapp. 2008. Prevalence and abundance of fleas in black-tailed prairie dog burrows: Implications for the transmission of plague (*Yersinia pestis*). *Journal of Parasitology* 94: 616-621.
- Salkeld, D. J., and P. Stapp. 2008. No evidence of deer mouse involvement in plague (*Yersinia pestis*) epizootics in prairie dogs. *Vector-Borne and Zoonotic Diseases* 8: 331-337.
- Sauer, S. B., and E. D. Maurer. 2001. Notes on the distribution, behavior and life history of *Attenuipyga vanduzeei* (Osborn & Ball) (Hemiptera : Cicadellidae) in Wisconsin. *American Midland Naturalist* 146: 434-438.
- Sauer, S. B. 2002. Midwestern occurrences of *Erythroneura carbonata* McAtee (Hemiptera : Cicadellidae) and host associations with species of *Lysimachia* (Primulaceae). *Journal of the Kansas Entomological Society* 75: 339-340.
- Schiefer, T. L. 1998. Disjunct distribution of Cerambycidae (Coleoptera) in the black belt prairie and Jackson prairie in Mississippi and Alabama. *Coleopterists Bulletin* 52: 278-284.
- Schmidtmann, E. T., M. E. Craig, L. M. English, and M. V. Herrero. 2002. Sampling for sand flies (Diptera : Psychodidae) among prairie dog colonies on ranches with histories of vesicular stomatitis in new Mexico and Colorado. *Journal of Medical Entomology* 39: 680-684.
- Schrey, N. M., J. D. Reeve, and F. E. Anderson. 2005. Mitochondrial DNA analysis of the bark beetle predator *Thanasimus dubius* F. (Coleoptera : Cleridae) reveals regional genetic differentiation. *Molecular Ecology* 14: 3317-3324.
- Schtickzelle, N., C. Turlure, and M. Baguette. 2007. Grazing management impacts on the viability of the threatened bog fritillary butterfly *Procttessiana eunomia*. *Biological Conservation* 136: 651-660.
- Schtickzelle, N., A. Joiris, H. Van Dyck, and M. Baguette. 2007. Quantitative analysis of changes in movement behaviour within and outside habitat in a specialist butterfly. *Bmc Evolutionary Biology* 7: 4.
- Schultz, C. B., and K. M. Dlugosch. 1999. Nectar and hostplant scarcity limit populations of an endangered Oregon butterfly. *Oecologia* 119: 231-238.
- Schwartz, M. D., and G. M. Stonedahl. 2004. Revision of *Phoenicocoris reuteri* with descriptions of three new species from North America and a new genus from Japan (Heteroptera : Miridae : Phylinae). *American Museum Novitates*: 1-55.
- Schwert, D. P. 1996. Effect of Euro-American settlement on an insect fauna: Paleontological analysis of the recent chitin record of beetles (Coleoptera) from northeastern Iowa. *Annals of the Entomological Society of America* 89: 53-63.
- Scott, L., and B. Molano-Flores. 2007. Reproductive ecology of *Rudbeckia fulgida* ait. var. *sullivantii* (C. L. Boynt and Beadle) Cronq. (Asteraceae) in northeastern Illinois. *Journal of the Torrey Botanical Society* 134: 362-368.
- Seastedt, T. R., and M. V. Reddy. 1991. Fire, mowing and insecticide effects on soil Sternorrhyncha (Homoptera) densities in tallgrass prairie. *Journal of the Kansas Entomological Society* 64: 238-242.
- Seastedt, T. R., N. Gregory, and D. Buckner. 2003. Effect of biocontrol insects on diffuse knapweed (*Centaurea diffusa*) in a Colorado grassland. *Weed Science* 51: 237-245.
- Seery, D. B., D. E. Biggins, J. A. Montenieri, R. E. Enscore, D. T. Tanda, and K. L. Gage. 2003. Treatment of black-tailed prairie dog burrows with deltamethrin to control fleas (Insecta : Siphonaptera) and plague. *Journal of Medical Entomology* 40: 718-722.
- Severns, P. M. 2008. Exotic grass invasion impacts fitness of an endangered prairie butterfly, *Icaricia icarioides fenderi*. *Journal of Insect Conservation* 12: 651-661.
- Sharanowski, B. J., E. G. Walker, and G. S. Anderson. 2008. Insect succession and decomposition patterns on shaded and sunlit carrion in Saskatchewan in three different seasons. *Forensic Science International* 179: 219-240.
- Shuey, J. A. 1997. Conservation status and natural history of Mitchell's satyr, *Neonympha mitchellii mitchellii* French (Insecta: Lepidoptera: Nymphalidae). *Natural Areas Journal* 17: 153-163.
- Shuey, J. A. 2005. Assessing the conservation value of a complementary system of habitat reserves relative to butterfly species at risk and divergent populations, pp. 110-120.

- Siemann, E., J. Haarstad, and D. Tilman. 1997. Short-term and long-term effects of burning on oak savanna arthropods. *American Midland Naturalist* 137: 349-361.
- Siemann, E., D. Tilman, J. Haarstad, and M. Ritchie. 1998. Experimental tests of the dependence of arthropod diversity on plant diversity. *American Naturalist* 152: 738-750.
- Siemann, E., and W. E. Rogers. 2006. Recruitment limitation, seedling performance and persistence of exotic tree monocultures. *Biological Invasions* 8: 979-991.
- Smith, D. M., J. F. Kelly, and D. M. Finch. 2006. Cicada emergence in Southwestern riparian forest: Influences of wildfire and vegetation composition. *Ecological Applications* 16: 1608-1618.
- Smith, J. J., and S. T. Hasiotis. 2008. Traces and burrowing behaviors of the cicada nymph *Cicadetta calliope*: Neoichnology and paleoecological significance of extant soil-dwelling insects. *Palaeos* 23: 503-513.
- Soroka, J. J., L. M. Dosdall, O. O. Olfert, and E. Seidle. 2004. Root maggots (*Delia* spp., Diptera : Anthomyiidae) in prairie canola (*Brassica napus* L. and *B. rapa* L.): Spatial and temporal surveys of root damage and prediction of damage levels. *Canadian Journal of Plant Science* 84: 1171-1182.
- Spears, B. M., D. N. Ueckert, and T. L. Whigham. 1975. Desert termite Isoptera-Termididae control in a shortgrass prairie – effect on soil physical properties. *Environmental Entomology* 4: 899-904.
- St Pierre, M. J., and S. D. Hendrix. 2003. Movement patterns of *Rhyssomatus lineaticollis* Say (Coleoptera : Curculionidae) within and among *Asclepias syriaca* (Asclepiadaceae) patches in a fragmented landscape. *Ecological Entomology* 28: 579-586.
- St Pierre, M. J., S. D. Hendrix, and C. K. Lewis. 2005. Dispersal ability and host-plant characteristics influence spatial population structure of monophagous beetles. *Ecological Entomology* 30: 105-115.
- Stagliano, D. M., and M. R. Whiles. 2002. Macroinvertebrate production and trophic structure in a tallgrass prairie headwater stream. *Journal of the North American Benthological Society* 21: 97-113.
- Stagliano, D. M., and M. R. Whiles. 2008. Life history and production of the riffle beetle, *Stenelmis crenata* (Say, 1824) (Coleoptera : Elmidae), in a tallgrass prairie stream. *Aquatic Insects* 30: 197-204.
- Stapp, P. 1997. Small mammal predation on darkling beetles (Coleoptera: Tenebrionidae) in pitfall traps. *Southwestern Naturalist* 42: 352-355.
- Stapp, P. 1997. Microhabitat use and community structure of darkling beetles (Coleoptera:Tenebrionidae) in shortgrass prairie: Effects of season, shrub cover and soil type. *American Midland Naturalist* 137: 298-311.
- Stasek, D. J., C. Bean, and T. O. Crist. 2008. Butterfly abundance and movements among prairie patches: The roles of habitat quality, edge, and forest matrix permeability. *Environmental Entomology* 37: 897-906.
- Stevens, G. N., and R. H. Jones. 2006. Patterns in soil fertility and root herbivory interact to influence fine-root dynamics. *Ecology* 87: 616-624.
- Stevenson, H. L., Y. Bai, M. Y. Kosoy, J. A. Montenieri, J. L. Lowell, M. C. Chu, and K. L. Gage. 2003. Detection of novel *Bartonella* strains and *Yersinia pestis* in prairie dogs and their fleas (Siphonaptera : Ceratophyllidae and Pulicidae) using multiplex polymerase chain reaction. *Journal of Medical Entomology* 40: 329-337.
- Stoaks, R. D. 2000. Foraging interactions at a hummingbird feeder : conflicts of the Anna hummingbird (Aves : Trochilidae) and the prairie yellowjacket (Hymenoptera : Vespidae). *Sociobiology* 35: 49-62.
- Stone, M. L., M. R. Whiles, J. A. Webber, K. W. J. Williard, and J. D. Reeve. 2005. Macroinvertebrate communities in agriculturally impacted southern Illinois streams: Patterns with riparian vegetation, water quality, and in-stream habitat quality. *Journal of Environmental Quality* 34: 907-917.
- Stoner, K. J. L., and A. Joern. 2004. Landscape vs. local habitat scale influences to insect communities from tallgrass prairie remnants. *Ecological Applications* 14: 1306-1320.
- Summerville, K. S., A. C. Bonte, and L. C. Fox. 2007. Short-term temporal effects on community structure of Lepidoptera in restored and remnant tallgrass prairies. *Restoration Ecology* 15: 179-188.
- Summerville, K. S. 2008. Species diversity and persistence in restored and remnant tallgrass prairies of North America: a function of species' life history, habitat type, or sampling bias? *Journal of Animal Ecology* 77: 487-494.
- Sun, L., J. M. Webb, and W. P. McCafferty. 2002. *Cercobrachys cree*: A new species (Ephemeroptera : Caenidae) from Western North America. *Entomological News* 113: 80-86.
- Swengel, A. B., and S. R. Swengel. 2001. Effects of prairie and barrens management on butterfly faunal composition. *Biodiversity and Conservation* 10: 1757-1785.
- Swengel, A. B. 2001. A literature review of insect responses to fire, compared to other conservation managements of open habitat. *Biodiversity and Conservation* 10: 1141-1169.

- Swengel, A. B., and S. R. Swengel. 2007. Benefit of permanent non-fire refugia for Lepidoptera conservation in fire-managed sites. *Journal of Insect Conservation* 11: 263-279.
- Teel, P. D., S. W. Hopkins, W. A. Donahue, and O. F. Strey. 1998. Population dynamics of immature *Amblyomma maculatum* (Acari : Ixodidae) and other ectoparasites on meadowlarks and northern bobwhite quail resident to the coastal prairie of Texas. *Journal of Medical Entomology* 35: 483-488.
- Theodoratus, D. H., and M. D. Bowers. 1999. Effects of sequestered iridoid glycosides on prey choice of the prairie wolf spider, *Lycosa carolinensis*. *Journal of Chemical Ecology* 25: 283-295.
- Thiagarajan, B., Y. Bai, K. L. Gage, and J. F. Cully. 2008. Prevalence of yersinia pestis in rodents and fleas associated with black-tailed prairie dogs (*Cynomys ludovicianus*) at Thunder Basin National Grassland, Wyoming. *Journal of Wildlife Diseases* 44: 731-736.
- Thiagarajan, B., J. F. Cully, T. M. Loughin, J. A. Montenieri, and K. L. Gage. 2008. Geographic variation in rodent-flea relationships in the presence of black-tailed prairie dog colonies. *Journal of Vector Ecology* 33: 178-190.
- Thom, E. R., R. A. Prestidge, D. D. Wildermoth, M. J. Taylor, and S. L. Marshall. 1992. Effect of hessian fly (*Mayetiola destructor*) on production and persistence of prairie grass (*Bromus willdenwoii*) when rotationally grazed by dairy cows. *New Zealand Journal of Agricultural Research* 35: 75-82.
- Thompson, P. H., R. R. Blume, and A. Aga. 1977. Tabanidae (Diptera) of Texas. 6. Coastal prairie species, Victoria County. *Proceedings of the Entomological Society of Washington* 79: 266-269.
- Timoney, K. P. 2003. The changing disturbance regime of the boreal forest of the Canadian Prairie Provinces. *The Forestry Chronicle* 79 (3): 502-516.
- Tinerella, P. P., and D. A. Rider. 2001. New records of five ground beetles (Coleoptera : Carabidae) from tallgrass prairie remnants in western Minnesota. *Entomological News* 112: 319-322.
- Tooker, J. F., and L. M. Hanks. 2000. Flowering plant hosts of adult Hymenopteran parasitoids of central Illinois. *Annals of the Entomological Society of America* 93: 580-588.
- Tooker, J. F., W. A. Koenig, and L. M. Hanks. 2002. Altered host plant volatiles are proxies for sex pheromones in the gall wasp *Antistrophus rufus*. *Proceedings of the National Academy of Sciences of the United States of America* 99: 15486-15491.
- Tooker, J. F., and L. M. Hanks. 2004. Endophytic insect communities of two prairie perennials (Asteraceae : *Silphium* spp.). *Biodiversity and Conservation* 13: 2551-2566.
- Tooker, J. F., and L. M. Hanks. 2004. Trophic position of the endophytic beetle, *Mordellistena aethiops* Smith (Coleoptera : Mordellidae). *Environmental Entomology* 33: 291-296.
- Tooker, J. F., and L. M. Hanks. 2004. Impact of prescribed burning on endophytic insect communities of prairie perennials (Asteraceae : *Silphium* spp.). *Biodiversity and Conservation* 13: 1875-1888.
- Tooker, J. F., A. L. Crumrin, and L. M. Hanks. 2005. Plant volatiles are behavioral cues for adult females of the gall wasp *Antistrophus rufus*. *Chemoecology* 15: 85-88.
- Tooker, J. F., and L. M. Hanks. 2006. Tritrophic interactions and reproductive fitness of the prairie perennial *Silphium laciniatum* Gillette (Asteraceae). *Environmental Entomology* 35: 537-545.
- Tscharntke, T., and H. J. Greiler. 1995. Insect communities, grasses, and grasslands. *Annual Review of Entomology* 40: 535-558.
- Tuell, J. K., A. K. Fiedler, D. Landis, and R. Isaacs. 2008. Visitation by wild and managed bees (Hymenoptera : Apoidea) to eastern US native plants for use in conservation programs. *Environmental Entomology* 37: 707-718.
- Turnock, W. J., G. Boivin, and J. W. Whistlecraft. 1995. Parasitism of overwintering puparia of the cabbage maggot, *Delia radicum* (L) (Diptera : Anthomyiidae), in relation to host density and weather factors. *Canadian Entomologist* 127: 535-542.
- Ueckert, D. N., M. C. Bodine, and B. M. Spears. 1976. Population-density and biomass of desert termite *Gnathitermes tubiformans* (Isoptera : Termitidae) in a shortgrass prairie – relationship to temperature and moisture. *Ecology* 57: 1273-1280.
- Ulmer, B., and L. M. Dosdall. 2006. Emergence of overwintered and new generation adults of the crucifer flea beetle, *Phyllotreta cruciferae* (Goeze) (Coleoptera : Chrysomelidae). *Crop Protection* 25: 23-30.
- Varchola, J. M., and J. P. Dunn. 1999. Changes in ground beetle (Coleoptera : Carabidae) assemblages in farming systems bordered by complex or simple roadside vegetation. *Agriculture Ecosystems & Environment* 73: 41-49.

- Vermeire, L. T., R. B. Mitchell, S. D. Fuhlendorf, and D. B. Wester. 2004. Selective control of rangeland grasshoppers with prescribed fire. *Journal of Range Management* 57: 29-33.
- Vogel, J. A., D. M. Debinski, R. R. Koford, and J. R. Miller. 2007. Butterflies, responses to prairie restoration through fire and grazing. *Biological Conservation* 140: 78-90.
- Ward, N. L., and G. J. Masters. 2007. Linking climate change and species invasion: an illustration using insect herbivores. *Global Change Biology* 13: 1605-1615.
- Warriner, M. D. 2004. First Arkansas record of the robber fly *Microstylum morosum* (Diptera : Asilidae). *Southwestern Naturalist* 49: 83-84.
- Weathersbee, A. A., and M. V. Meisch. 1991. Parous and survival rate estimates for *Anopheles quadrimaculatus* (Diptera : Culicidae) in the Arkansas grand prairie. *Environmental Entomology* 20: 1595-1600.
- Weber, P. G., S. Preston, M. J. Dlugos, and A. P. Nelson. 2008. The effects of field mowing on adult butterfly assemblages in Central New York State. *Natural Areas Journal* 28: 130-143.
- Westcott, N. D., Y. W. Lee, and J. F. Doane. 1980. Determinations of carbon-dioxide production by prairie grain wireworm (Coleoptera, Elateridae) and germinating wheat seeds using mass fragmentography. *Journal of Economic Entomology* 73: 561-563.
- Westerman, P. R., J. K. Borza, J. Andjelkovic, M. Liebman, and B. Danielson. 2008. Density-dependent predation of weed seeds in maize fields. *Journal of Applied Ecology* 45: 1612-1620.
- Wheeler, A. G. 1996. *Ischnodemus falcis* (Heteroptera: Lygaeidae): First record from ornamental grasses, and seasonality on prairie cordgrass in Pennsylvania. *Proceedings of the Entomological Society of Washington* 98: 195-198.
- Whiles, M. R., B. S. Goldowitz, and R. E. Charlton. 1999. Life history and production of a semi-terrestrial limnephilid caddisfly in an intermittent Platte River wetland. *Journal of the North American Benthological Society* 18: 533-544.
- Whiles, M. R., M. A. Callahan, C. K. Meyer, B. L. Brock, and R. E. Charlton. 2001. Emergence of periodical cicadas (*Magicicada cassini*) from a Kansas riparian forest: Densities, biomass and nitrogen flux. *American Midland Naturalist* 145: 176-187.
- Whiles, M. R., and R. E. Charlton. 2006. The ecological significance of tallgrass prairie arthropods. *Annual Review of Entomology* 51: 387-412.
- White, C. R. 2005. The allometry of burrow geometry. *Journal of Zoology* 265: 395-403.
- Whiteman, N., and R. W. Sites. 2001. Aquatic Polyphaga (Coleoptera) state records from the Missouri Prairie Region. *Journal of the Kansas Entomological Society* 74: 101-105.
- Whiteman, N. K., and R. W. Sites. 2003. Lentic beetles of the Missouri Prairie Region: Habitat and regional associations, with keys to the hydradephaga. *Transactions of the American Entomological Society* 129: 185-243.
- Whitfield, J. B., and C. N. Lewis. 2001. Analytical survey of the braconid wasp fauna (Hymenoptera : Braconidae) on six midwestern US tallgrass prairies. *Annals of the Entomological Society of America* 94: 230-238.
- Wiens, J. A., R. L. Schooley, and R. D. Weeks. 1997. Patchy landscapes and animal movements: Do beetles percolate? *Oikos* 78: 257-264.
- Wilder, A. P., R. J. Eisen, S. W. Bearden, J. A. Montenieri, D. W. Tripp, R. J. Brinkerhoff, K. L. Gage, and M. F. Antolin. 2008. Transmission efficiency of two flea species (*Oropsylla tuberculata cynomuris* and *Oropsylla hirsuta*) involved in plague epizootics among prairie dogs. *Ecohealth* 5: 205-212.
- Wilder, A. P., R. J. Eisen, S. W. Bearden, J. A. Montenieri, K. L. Gage, and M. F. Antolin. 2008. *Oropsylla hirsuta* (Siphonaptera : Ceratophyllidae) can support plague epizootics in black-tailed prairie dogs (*Cynomys ludovicianus*) by early-phase transmission of *Yersinia pestis*. *Vector-Borne and Zoonotic Diseases* 8: 359-367.
- Williams, A. H., and N. L. Kriska. 2001. Notes on the biology of *Melanocanthus nigricornis* (Coleoptera : Scarabaeidae). *Great Lakes Entomologist* 34: 129-131.
- Williams, M. A., and J. T. Cronin. 2004. Response of a gall-forming guild (Hymenoptera : Cynipidae) to stressed and vigorous prairie roses. *Environmental Entomology* 33: 1052-1061.
- Williams, C. S., and T. H. Bonner. 2006. Habitat associations, life history and diet of the Sabine shiner *Notropis sabinae* in an east Texas drainage. *American Midland Naturalist* 155: 84-102.
- Williams, M. R. 2008. Assessing diversity of diurnal Lepidoptera in habitat fragments: Testing the efficiency of strip transects. *Environmental Entomology* 37: 1313-1322.

- Wilson, S. W., J. L. Smith, and P. D. Calvert. 1993. Planthoppers of a Missouri tallgrass prairie (Homoptera : Fulgoroidea). *Journal of the Kansas Entomological Society* 66: 75-80.
- Wilson, M. V., T. Erhart, P. C. Hammond, T. N. Kaye, K. Kuykendall, A. Liston, A. F. Robinson, C. B. Schultz, and P. M. Severns. 2003. Biology of Kincaid's lupine (*Lupinus sulphureus* ssp *kincaidii* [Smith] phillips), a threatened species of western Oregon native prairies, USA. *Natural Areas Journal* 23: 72-83.
- Wilson, T. A., and B. E. Hibbard. 2004. Host suitability of nonmaize agroecosystem grasses for the western corn rootworm (Coleoptera : Chrysomelidae). *Environmental Entomology* 33: 1102-1108.
- Woods, S. M., N. D. G. White, and R. N. Sinha. 1997. Simulation of generation times of the rusty grain beetle, *Cryptolestes ferrugineus*, in farm-stored grain in the Canadian prairies, 1952-1990. *Researches on Population Ecology* 39: 47-56.
- Wrubleski, D. A., and D. M. Rosenberg. 1990. The Chironomidae (Diptera) of Bone Pile Pond, Delta-Marsh, Manitoba, Canada. *Wetlands* 10: 243-275.
- Wrubleski, D. A. 2005. Chironomidae (Diptera) responses to the experimental flooding of prairie marshes. *Wetlands* 25: 200-209.
- Wyckhuys, K. A. G., R. L. Koch, and G. E. Heimpel. 2007. Physical and ant-mediated refuges from parasitism: Implications for non-target effects in biological control. *Biological Control* 40: 306-313.
- Wyckhuys, K. A. G., R. L. Koch, R. R. Kula, and G. E. Heimpel. 2009. Potential exposure of a classical biological control agent of the soybean aphid, *Aphis glycines*, on non-target aphids in North America. *Biological Invasions* 11: 857-871.
- Yee, D. A., and S. H. Yee. 2007. Nestedness patterns of container-dwelling mosquitoes: effects of larval habitat within variable terrestrial matrices. *Hydrobiologia* 592: 373-385.
- Young, D. K. 1995. Remnant dependence among prairie-inhabiting and savanna-inhabiting insects. *Natural Areas Journal* 15: 290-292.
- Zimmer, K. D., M. A. Hanson, and M. G. Butler. 2001. Effects of fathead minnow colonization and removal on a prairie wetland ecosystem. *Ecosystems* 4: 346-357.
- Zimmer, K. D., M. A. Hanson, and M. G. Butler. 2002. Effects of fathead minnows and restoration on prairie wetland ecosystems. *Freshwater Biology* 47: 2071-2086.
- Zrum, L., and B. J. Hann. 2002. Invertebrates associated with submersed macrophytes in a prairie wetland: Effects of organophosphorus insecticide and inorganic nutrients. *Archiv Fur Hydrobiologie* 154: 413-445.