



## HELLAMARINE QUATRZ HALOGEN SPOTLIGHTS

### Q/H HANDHELD SEARCH LAMP

- \* Push lock switch for easy one handed operation.
- \* 138mm diameter.
- \* Lens with rubber surround.
- \* May be used for morse code signalling
- \* 1.3mtr cable when extended.
- \* 12V 55W Globe included.

Part No. H2864



### Q/H SEARCH LAMP & REMOTE CONTROL

360 Degree Horizontal rotat  
60 degree vertical tilt  
12V 55W globe included

Part No. H2866



### GLOBES TO SUIT QUARTZ HALOGEN LIGHTS

Part No.  
HYC1255 Spare Globe 12V 55W  
HYC2470 Spare Globe 24V 70W



## SS ADJUSTABLE SPREADER LIGHT

Lens: 108mm  
Height: 108mm  
Halogen: 12V 35W  
Part No. 701700



## HAND HELD SPOTLAMPS



Part No.  
H1520 12V Sealed Beam  
Included, 100W, includes plug, cable  
(extendable to 2 metres) and on/off  
switch. Blue body.



Part No.  
H1524 12V Sealed Beam  
Included, 100W, includes plug, cable  
(extendable to 2 metres)  
and momentary pressure contact  
on/off switch. Black Body.

## SMART LIGHT Rotate H440 Degrees & E120

### Features

- \* Weatherproof with splashproof cover
- \* Powerful Halogen
- \* 12 Volt Remote Control
- \* Remote from 200 metres
- \* Magnetic rubber vacuum base
- \* 55/100 Watt
- \* 24 Volt available on request

### Dimension

Length: 350mm  
Width: 225mm

Part No.	Colour	Volt	Description	Weight
70132	White	12V	Smart Light with splashproof cover	2.8kg
70130	Black	12V	Smart Light without splashproof cover	2.9kg
70133	Black		Spare Remote	



## SS FIXED SPREADER LIGHT

Lens: 108mm  
Height: 70mm  
Halogen: 12V 35W  
Part No. 701702



## QUARTZ HALOGEN FLOODLAMP WORK LAMP



Rubber body work lamp  
Suits 12V & 24V globes  
Globe to be ordered separately  
Mounting with a single bolt  
Ensure earth return is connected direct  
from globe holder to vehicle chassis

Part No. H1514



## QUARTZ HALOGEN WORKLAMP

With ABS housing & stainless steel  
metal bracket & screws.  
12V 55W - Globe included.  
Not suitable for 100W Globe Fittment

Part No. H2859





### MINI FLASHLIGHT

Complete with battery in display pack.

This superb mini flashlight clips on and swivels to any position. Perfect for Fishing or if the fish are not biting use it to read your map, or make up some new rigs. If hiking is your thing this is ideal as it weighs only 18g. Use it as an emergency light when the unfortunate happens, keeping two hands free to fix the problem. The LED is bright & magnified, is low voltage for battery longevity.



#### Part No.

- 50282** Mini Light  
**50284** Spare Battery pack to suit 50282 Mini Light

### PILOT LAMPS - 17.5mm

For Fog, long range driving and flasher lamps, etc.

#### Part No.

- H2700** Green - Indicator Lamps  
**H2702** Blue - Main Beam  
 & Auxiliary headlamps  
**H2704** Amber - Fog Lamps  
**H2706** Red - Ignition, hand brake  
 & Hazard warning  
**HW121.2** 12V globes  
**HW241.2** 24V globes  
 Globes to be ordered seperately



### PILOT LAMPS -12V - 12.5mm

#### Part No.

- H2708** Red 12V Bulb Included.  
**H2709** Green 12V Bulb Included.  
**H2710** Blue 12V Bulb Included.  
**H2711** Amber 12V Bulb Included.





### QUARTZ HALOGEN FF SINGLE BEAM DECK FLOODLIGHT

Extremely sturdy deck lights in both surface and flush mount versions. Despite their compact design, these flood lights have twice the light output of conventional deck lamps.



**Part No. Surface Mount**

**H2833** This light features a single bolt with rubber mounting base, which makes it ideal for high vibration situations.

**H2834 Flush Mount**



### QUARTZ HALOGEN FF TWIN BEAM DECK FLOODLIGHT

This powerful twin reflector deck floodlight produces three times the light output of conventional lamps of the same size. Suitable for upright or pendant mounting on horizontal and vertical surfaces.



**Part No. H2830** 12V 55W x 2

### CRYSTA-LITE



The Crysta-lite interior lights are 12v and 24v DC. Each Crysta-lite is fitted with two 8 watt fluorescent tubes, the lights are constructed of powder coated aluminium frames, interchangeable surround is moulded in plastic and is available in basic white, transparent acrylic diamond pattern and integral switch.



Part No.	Recess Mount - 395mm x 124mm 15mm exposed x 17mm recessed
70885	12v white
70886	24v white
	Surface Mount - 371mm x 84mm x 34mm
70887	12v white
70888	24v white

### QUARTZ HALOGEN FF FLOODLIGHT FLUSH MOUNT

As a further supplement to our existing worklamp range, we have now introduced a white and black flush mount version of our current worklamp SAW Code: H2859. The recess mount enables direct installation on level surfaces.



Part No.	H2860	White housing 12v 55w
	H2860B	Black housing 12v 55w

### QUARTZ HALOGEN FF DECK FLOODLIGHT ROUND 12V 55W and 24V 70W

These powerful deck floodlights in both 12volt 55watt and 24volt 70watt versions feature a compact oval lens and single bolt for upright or pendant mounting. Stainless steel bracket and screws.



Part No.	H2835	12V 55W
	H2835-24	24V 70W

### 12 VOLT LED SWIVEL INTERIOR STRIP LAMP WITH ON OFF SWITCH



Part No.	Dimensions	Current Draw@13.8V
70961	225 x 34 x 33mm	0.06Amps
70962	467 x 34 x 33mm	0.21Amps



### 12 VOLT LED INTERIOR LAMP WITH ON OFF SWITCH



Overall Size: 185 x 110 x 23mm  
Current Draw@13.8V: 0.38Amps

Part No.	Colour
70963	White
70964	Grey







## 12 VOLT LED WATERPROOF EXTE-RIOR LAMPS

Overall Size: 185 x 110 x 23mm  
Cut Out Size: 145 x 102mm  
Current Draw@ 13.8V: 0.38Amps  
Color: White

**Part No.**                      **Volt**  
**70965**      Surface Mount   12 Volt

# LED

Overall Size: 165 x 102 x 45mm  
Cut Out Size: 130 x 87mm  
Current Draw@ 13.8V: 0.20Amps

**Part No.**                      **Volt**  
**70968**      Flush Mount      12 Volt



## WEATHERPROOF BUNKER LIGHT

White PVC bunker light (Halogen bulb included)  
Glass lens with S/S screws. 12 volt 20 watt G4 type bulb

Overall Dimensions:  
Length = 218mm  
Width = 115mm  
Height = 100mm

**Part No. 70110**



## TAPERED MOUNTING BASE

for use with leaf spring lights (100mm)



**Part No.**

**70850**      Chrome tapered mounting base no switch  
**70851**      Gold tapered mounting base no switch  
**70852**      White tapered mounting base no switch

**70855**      Chrome tapered mounting base including switch  
**70856**      Gold tapered mounting base including switch  
**70857**      White tapered mounting base including switch

## FLUORESCENT INTERIOR LAMP

Economical "Lucky" brand fluorescent lights. All white plastic casing with clear diffused lens and on/off switch.  
370mm x 65mm x 40mm



**Part No.**                      **70104**      Single Tube 12V 8 Watt  
   **70106**      Dual Tubes 12V 8 Watt x 2

## GOLD ANODISED ALUMINIUM FLURO LIGHT WITH SWITCH



Part No.	Length	Width	Voltage
<b>70969</b>	15 1/2"	3 1/2"	12 Volt includes 8W tube

## MAXI-LITE



The Maxi-lite is designed for interior lighting requirements in all 12v DC vessels. This particular model is able to run one, two or three fluorescent tubes in one fitting. Each Maxi-lite is fitted with a single 8 watt fluorescent tube and is constructed of diamond pattern diffusers, integral switch and stylish plastic mould surround, available in basic white. A special trim is available to enhance the appearance of the light.

**Part No.**  
**70890**      Optional White Trim Surround 409mm x 107mm

## ROUNDED MOUNTING BASE

for use with leaf spring lights (100mm)



**Part No.**

**70860**      Chrome rounded mounting base no switch  
**70861**      Gold rounded mounting base no switch  
**70862**      White rounded mounting base no switch

**70865**      Chrome rounded mounting base including switch  
**70866**      Gold rounded mounting base including switch  
**70867**      White rounded mounting base including switch

## LED COURTESY LAMPS



Overall Size: 75mm Dia x 18mm Depth  
Current Draw@ 13.8V: 0.05Amps

Part No.	Colour	Volt
<b>70966</b>	Chrome	12 Volt
<b>70967</b>	White	12 Volt

# LED



## GIORNO LUCE TORSOIN SPRING MOUNTED INTERIOR LIGHTS

For mounting into thin ply ceilings

For Mounting simply Drill a 58mm hole and press in light. Space required behind roof to mount light = 30mm from roof face. These Quality interior lights are made in Italy. All lenses are frosted. Max bulb wattage is 20w (not included). G4 type bulb required.

### Part No.

<b>70800</b>	Downlight Mini Dome Chrome Torsion spring.
<b>70801</b>	Downlight Mini Dome Gold Torsion spring.
<b>70802</b>	Downlight Mini Dome White Torsion spring.
<b>70805</b>	Downlight Mini Well Chrome Torsion spring.
<b>70806</b>	Downlight Mini Well Gold Torsion spring.
<b>70807</b>	Downlight Mini Well White Torsion spring.
<b>70810</b>	Downlight Mini Flush Chrome Torsion spring.
<b>70811</b>	Downlight Mini Flush Gold Torsion spring.
<b>70812</b>	Downlight Mini Flush White Torsion spring.
<b>70815</b>	Downlight Mini Tilt Chrome Torsion spring.
<b>70816</b>	Downlight Mini Tilt Gold Torsion spring.
<b>70817</b>	Downlight Mini Tilt White Torsion spring.



70800



70815



70805



70810

## GIORNO LUCE - LEAF SPRING MOUNTED INTERIOR LIGHTS

For mounting into solid block type ceilings or Tapered mounting bases below.


For mounting simply drill a 58mm hole and press in light or use one of the tapered mounting bases below. Space required behind roof to mount light is 25mm from roof face.

### Part No.

<b>70820</b>	Downlight Mini Dome Chrome Leaf spring.
<b>70821</b>	Downlight Mini Dome Gold Leaf spring.
<b>70822</b>	Downlight Mini Dome White Leaf spring.
<b>70825</b>	Downlight Mini Well Chrome Leaf spring.
<b>70826</b>	Downlight Mini Well Gold Leaf spring.
<b>70827</b>	Downlight Mini Well White Leaf spring.
<b>70830</b>	Downlight Mini Flush Chrome Leaf spring.
<b>70831</b>	Downlight Mini Flush Gold Leaf spring.
<b>70832</b>	Downlight Mini Flush White Leaf spring.
<b>70835</b>	Downlight Mini Tilt Chrome Leaf spring.
<b>70836</b>	Downlight Mini Tilt Gold Leaf spring.
<b>70837</b>	Downlight Mini Tilt White Leaf spring.



70820



70825



70835



70830

## LED SWIVEL READING LIGHT WITH SWITCH

ABS W/ALUM

**LED**



Part No.	H	Volt
<b>70942</b>	88mm	12V 0.96W 0.08A White LED

## LED PLASTIC MINI DOME LIGHT

**LED**



70940



70944

Part No.	Colour	Dia	D	Volt
<b>70940</b>	White	88mm	53mm	12V 0.72W 0.06A
<b>70944</b>	Silver	88mm	53mm	12V 0.72W 0.06A

## MINI COURTESY LIGHT

Mini courtesy light.  
2 bright white LED's  
Surface mount.



Part No.	Length	Width	Height
<b>53982</b>	44mm	20mm	13mm

**LED**

**FIXED UTILITY LIGHT**

Nylon



Part No.	Length	Width	Bulb
701706	64mm	57mm	12C 3W

**RECTANGULAR FLUSH S/S LIGHT**


Part No.	
701322	12V 10W rectangular flush light 130 x 85mm

**STEP COURTESY LIGHTS****Features:**

Available in Cool White, Blue or Red LED's.  
Available in Chrome Plated & Brass Plated.  
Simple installation 10V to 30V-DC powered.  
Saves power only 0,5 Watt power consumption.  
No Maintenance Lifetime over 50,000 hours.  
Suitable for outdoor use IP64.  
Surface mount fitting.  
Dimensions: 110mm W x 20mm H x 13mm D

World Class  
Products

Part No.	Descriptions
70950	Brass Step LED 120° ~ Cool White
70951	Brass Step LED 120° ~ Red
70952	Brass Step LED 120° ~ Blue
70954	Chrome Plated Step LED 120° ~ Blue
70955	Chrome Plated Step LED 120° ~ Red
70956	Chrome Plated Step LED 120° ~ Cool White

**LED****HIGH POWER LED MULTI LIGHT**

The Multi Light can be used as a range of different lights as they can be either surface or flush mounted.

**Features:**

Available in White or Chrome Plated.  
Hardened Glass.  
No maintenance Life-Time over 50,000 hours.  
Simple installation 10V to 30V-DC powered.  
Low power consumption 3Watt only.  
Lifetime over 50,000 hours.  
IP57  
Dimensions: 62Ømm x 16mm D

World Class  
Products**LED****Part No.**

70957	White LED Multi Light 45° ~ Cool
70958	White LED Multi Light 45° ~ Warm
70959	Chrome Plated LED Multi Light 45° ~ Cool
70960	Chrome Plated LED Multi Light 45° ~ Warm

**COURTESY L.E.D. LIGHTING**


Hella Courtesy L.E.D. lamps deliver a brighter, cooler and longer lasting light at 1/10th the power consumption of comparable globe lamps. Ideal for steps, interior or exterior courtesy lighting, and storage areas.

**LED****Part No.**

H0031	Round 12V L.E.D. Courtesy Lamp - Red
H0061	Round 12V L.E.D. Courtesy Lamp - White
H1031	Rectangular 12V L.E.D. Courtesy Lamp - Red
H1040	Rectangular 12V L.E.D. Courtesy Lamp - White
H1080	Rectangular Multivolt L.E.D. Wide Rim Courtesy Lamp - White

**LED  
MOUNTING  
ACCESSORIES**

Set of 2 x mounting spacers complete with screws required to mount all round LED courtesy lamps (above). Enables efficient surface mount without the necessity of cut-outs.

**Part No.**

H3122	Black
H3132	White





### DUAL BULB RED/WHITE LIGHT STAINLESS STEEL

Ideal for dim red night vision. This light is fitted with 1 clear bulb and 1 red bulb and a 3 position toggle switch.



Part No.	Volt	Watt	Diameter	Height
30224	12V	15W	170mm	15mm

### STAINLESS STEEL DOME LIGHTS WITH SWITCH

Polished 304 grade stainless steel with a chrome plated brass toggle switch and diffused glass lens. Supplied with Halogen Bulb.



Part No.	Diameter	Volt	Watt
70111	75mm	12V	15W
70112	100mm	12V	15W
70114	125mm	12V	15W

### 12V LED LIVEWELL LIGHT

Completely sealed heavy duty Livewell/Baitwell lamps are designed for installation into live bait tanks with wall thicknesses up to 26mm. Featuring an ultra durable Polycarbonate housing, the lamp provides soft amber light with all the low power saving and long service life advantages of Hella marine LED technology. Supplied with a plastic nut and rubber gaskets for a completely watertight installation.

Housing Description	Heavy duty polycarbonate
Light Source	LED
Installation	Pre-wired with 120mm of cable
Operating Voltage	12V DC
Power Consumption	0.5W
Protective System	Completely sealed

Part No. H543001

**LED**



### CEILING LIGHT WITH SWITCH



12Volt 10Watt Halogen Bulb & Lens White in colour with switch.

Part No.	Length	Width	Depth
70116	3 1/2"	2 5/8"	1"

### Q/H MAP READING LAMPS



Part No.

#### H2633 Q/H MAP READING LAMP

Flexible 195mm black arm. Lamp head has an integral rocker on/off switch and is fitted with a clear diffuser lens for glare-free illumination. Pillar or dash mounting. 12V globe included.

#### H2636 Q/H MAP READING LAMP

Same as H2633 but with 500mm arm.

#### H2637 Q/H MAP READING LAMP

Lamp head has an integral rocker on/off switch & is fitted with an opaque white lens for glare-free illumination. Includes additional red lens. Pedestal base. 12V globe included.

### FLUSH MOUNT LED LAMP



Waterproof Flush-Mount LED Lamp made of white PVC plastic with 3 LEDs.

Outside Diameter 3"

Part No.  
70118

**LED**

### LOW POWER LED TOUCH CHART LIGHT

The F-4 task light is a sophisticated, high-quality generation of lights that combines state-of-the-art microcontroller technology with the well-known advantages of the light-emitting diode (LED). (Low power consumption, low operating temperature, shock-resistance, long working life, etc.)



World Class  
Products


**LED**

Part No.

70946	Chrome Plated Flexible Chart Light
70947	Brass Flexible Chart Light

### WATERPROOF LED LAMP

This light is ideal for low level exterior courtesy or stairway lighting, for live bait tanks or, thru-hull mounting for a fish attracting light. Suits 12 and 24 volt. Supplied with 180mm wiring, 2 gaskets & nylon backing nut to secure it. 38mm face diameter. 30mm thread length. White in colour



**LED**

Part No.	Diameter	Thread Diameter
53980	1 - 1/2"	5/8"



## Save power & maintenance with the new HIGH POWERED LED LIGHT BARS

# LED


### Features

- \* One Led Light Bar will light up your cabin
- \* No replacement required
- \* Simple installation 12V only
- \* Saves power only 3 watt power consumption
- \* Small dimensions only 210mm by 29mm
- \* IP64

Part No.	Description	Volt
70920	Flat Bar Warm White	12V only
70921	Flat Bar Cool White	12V only
70924	Flat Bar Red	12V only
70925	Flat Bar Green	12V only
70927	Flat Bar Blue	12V only
70922	Triangle Bar Warm White	12V only
70923	Triangle Bar Cool White	12V only
70926	Triangle Bar Red	12V only



World Class  
Products



## Save power and maintenance with the new

## HIGH POWERED LED CEILING LIGHTS




World Class  
Products

# LED

### Features

- \* No replacement required, lifetime over 50,000 hours
- \* Simple installation 12V only
- \* Saves power only 3 watt power consumption
- \* Small dimensions only 9.5cm by 2.35cm
- \* Warm and Cool White available in 15° Spot or 45° Floodlight
- \* Red available in 45° Floodlight
- \* IP64

Part No.	Description
70928	Anodised Silver Aluminium 45° (Shines Red)
70930	CP Brass 15° Warm white
70932	Brass 45° Warm white
70936	Ceiling 45° Cool white



## Save power & maintenance with the new LED MARKER LIGHTS

### Features

- \* Very low power consumption
- \* Available with white or blue led's
- \* Can even be placed under water IP68
- \* Long life performance of 40,000 - 50,000 hours
- \* Easy installation and connection with the wire splitter and extension
- \* 12V to 24V AC/DC powered
- \* For onshore use, transformers are available

# LED



World Class  
Products

Part No.	Description
70904	Square LED White
70906	Square LED Bright Blue
70900	Round LED White
70902	Round LED Bright Blue







### NAVIGATION LIGHTS

All round white pole light giving 360 degree white light. Chrome plated diecast base with stainless steel pole tube.



**Part No.**

**70090** Folding Light - 475mm (19")  
**70098** Telescopic Light - 600mm (24")

### FOLDING 360 DEGREE LIGHTS

Economical 360 degree fold-down anchor white riding lights. Black nylon ratchet folding base with anodised aluminium tube.



**Part No.**

Part No.	Height	Volt
<b>70163</b>	600mm	12v
<b>70164</b>	265mm	12v

### NAVIGATION LIGHT

Port/Starboard light and all-round white light. Independent light sources and switching. Including mounting plate.

**Overall dimensions**

152mm x 89mm x 356mm  
 (6" x 3 1/2" x 14")

**Part No.**

**RF2119** 12V 10W



### ALL ROUND LIGHT

Fixed Mount all Round Light. For use on powerboats under 7m, sailing on the lakes. Made from Nylon. Clear PC light case. Ba15d 12V 10W bulb.

Size: 4" Height

**Part No. 701708**



### FOLDING ANCHOR LIGHT

12V 10W Bulb  
 Height 9 1/2"  
 Clear Lens  
 ABS Body  
 S.S. Tubing.

**Part No.**

**70092**



### PLUG IN ALL ROUND LIGHT

Die-casting 304 stainless steel top & base. 304 stainless steel pole. With rubber waterproof cover & cap (Length over 24", changes into securing sleeve and cap). 12V 10W incandescent bulb.

Plug in base: 1.61" W x 3.27" L

**Part No. 701710**



### FLUSH MOUNTED NAV LIGHTS

Flush mounted SS Recess Port & Starboard Nav lights. (Pair)

**Part No. 70142**



### ALL ROUND WHITE LIGHT



**Part No.**

Part No.	Pedestal Mount - Fixed
<b>3570030</b>	Black Housing - 102mm
<b>3570330</b>	White Housing - 102mm

**Pedestal Mount Plug in Type**

<b>3570010</b>	Black Housing - 1066mm
----------------	------------------------



### PLUG-IN 360 DEGREE LIGHTS

Economical 360 degree anchor riding light with 2 pin plug in pole which quickly removes for easy storage. Black nylon base has rubber splashproof cover & anodised aluminium tube. 12V 10W



**Part No.**

**70165** 24" Pole Light with Plug-In PVC Base. 360 deg clear lens

### RED/GREEN BOW NAVIGATION LIGHT

Made from stainless steel 304.



**Part No.**

Part No.	Length	Width	Bulb
<b>701408</b>	83	64	12V 8W



## NAVIGATION LAMPS FOR VESSELS LESS THAN 20 METERS

### Horizontal Surface Mounting

#### Black Housing

Part No.	
<b>H2850</b>	Masthead Lamp 12V/25W 225 Degree
<b>H2850-1</b>	Masthead Lamp 24V/25W 225 Degree
<b>H2852</b>	Comb. Port/Starboard 12V/25W 2x112.5 Degree
<b>H2852-1</b>	Comb. Port/Starboard 24V/25W 2x112.5 Degree
<b>H2853</b>	Starboard 12V/25W 112.5 Degree
<b>H2853-1</b>	Starboard 24V/25W 112.5 Degree
<b>H2854</b>	Port 12V/25W 112.5 Degree
<b>H2854-1</b>	Port 24V/25W 112.5 Degree
<b>H2851</b>	Stern 12V/10W 135 Degree
<b>H2851-1</b>	Stern 24V/10W 135 Degree

#### Globes to suit above lights

<b>HEA1210</b>	12V 10W
<b>HEA1225</b>	12V 25W
<b>HEA2410</b>	24V 10W
<b>HEA2425</b>	24V 25W

#### White Housing

Part No.	
<b>H2850W</b>	Masthead Lamp 12V/25W 225 Degree
<b>H2852W</b>	Comb. Port/Starboard 12V/25W 2x112.5 Degree
<b>H2854W</b>	Port 12V/25W 112.5 Degree
<b>H2851W</b>	Stern 12V/10W 135 Degree



## NAVIGATION LAMPS FOR VESSELS LESS THAN 50 METRES

### Horizontal Surface Mounting

Part No.	
<b>H2846</b>	All round White - 12V/10W - 360 Degree Beam
<b>H2846-1</b>	All round White - 24V/10W - 360 Degree Beam
<b>H2847</b>	All round Green - 12V/25W - 360 Degree Beam
<b>H2847-1</b>	All round Green - 24V/25W - 360 Degree Beam
<b>H2848</b>	All round Red - 12V/25W - 360 Degree Beam
<b>H2848-1</b>	All round Red - 24V/25W - 360 Degree Beam
<b>H2844</b>	Tri-Colour - 12V/25W - Red & Green 112.5, Clear 135°
<b>H2845</b>	Comb. Tri-Coloured - 12V/10W&25W Top Tier - Starboard & Port - Bottom - All round White

#### Globes to suit above lights

<b>HEA1210</b>	12V 10W
<b>HEA1225</b>	12V 25W
<b>HEA2410</b>	24V 10W
<b>HEA2425</b>	24V 25W



## 360° LED POLE LIGHTS

### Fold Down or Fixed Base



Housing Description	UV resistant high impact acrylic lens. Anodized aluminium lamp base and pole
Installation	Pre-wired with marine cable
Operating Voltage	Multivolt 9-33V DC
Voltage Protection	Spike & over Voltage protected to 200 volts. Reverse Polarity protected to 500 volts
Light Source	Single LED
Power Consumption	Less than 2W
Protective System	Completely sealed
Minimum Visible Distance	2 Nautical Miles

# LED

Part No.	
<b>H910011</b>	204mm Fixed Base
<b>H910621</b>	305mm Fold Down Base





## LED NAVIGATION LAMPS FOR VESSELS UP TO 50 METRES

Ultra durable, power saving lamps.

Housing Description	UV resistant high impact acrylic lens. High impact shroud
Light Source	Multiple LEDs
Installation	Pre-wired with 2.5m of cable
Operating Voltage	Multivolt TM 9-33V DC
Voltage Protection	Spike & over Voltage protected to 200 volts. Reverse Polarity protected to 700 volts
Power Consumption	Less than 2W, Masthead less than 2.5W
Protective System	Completely sealed
Minimum Visible Distance	2 Nautical Miles. 3 Nautical Miles (Powerboats only)

Part No.	Description	Colour	Nautical Miles
H900001	Port	Black	2
H908001	Starboard	Black	2
H909001	Stern	Black	2
H900011	Port	White	2
H908011	Starboard	White	2
H909011	Stern	White	2
H900201	Port	Black	3
H908201	Starboard	Black	3
H909201	Stern	Black	3
H900211	Port	White	3
H908211	Starboard	White	3
H909211	Stern	White	3
H940201	Masthead	Black	3
H940211	Masthead	White	3



## NAVIGATION LAMPS FOR VESSELS LESS THAN 12 METERS

Part No.	Black Housing
H2840	Masthead Lamp 225 Degree Beam Angle
H2841	Stern Lamp 135 Degree Beam Angle
H2842	Starboard Lamp 112.5 Degree Beam Angle
H2843	Port Lamp 112.5 Degree Beam Angle
H2871	Combination Port/Starboard 2x112.5 Degree Beam
H2875	Anchor Lamp 360 Degree Beam Angle Bulb T/S HG1210

Bulbs to Suit Above Lamps
HK610 6 Volt
HK1210 12 Volt
HK2410 24 Volt

Part No.	White Housing
H2840W	Masthead Lamp 225 Degree Beam Angle
H2841W	Stern Lamp 135 Degree Beam Angle
H2842W	Starboard Lamp 112.5 Degree Beam Angle
H2843W	Port Lamp 112.5 Degree Beam Angle
H2871W	Combination Port/Starboard 2x112.5 Degree Beam
H2875W	Anchor Lamp 360 Degree Beam Angle Bulb T/S HG1210



H2841



H2840



H2843



H2871



H2875



H2842



## SET OF 4 NAV LIGHTS

Made of polycarbonate, 12V. Supplied with bulb. They are IP56. Very easy to install. Mod. UNIVERSAL Bulkhead Mounting.



Part No.	701405	Black
	701406	White

## COMBO NAV LIGHT POLE

Lights suitable to for power boats up to 20mtrs. Stainless steel pole.

Kit of 3 lights. All round 360°, Stern 135°, bicolour 225° RINA Approved. Ready to mount.

Part No.	701403	White
----------	--------	-------





**SERIES 20 HORIZONTAL MOUNT**

To suit boats less than 12 meters

<b>Part No.</b>	<b>Black Housing</b>
<b>3575008</b>	Bi-Colour
<b>3575104</b>	Starboard
<b>3575204</b>	Port
<b>3574006</b>	Masthead
<b>3576003</b>	Stern
<b>3575301</b>	<b>White Housing</b>
<b>3574303</b>	Bi-Colour
	Masthead

Height - 53mm  
Depth - 63mm Width = 49mm

**SERIES 25 WHITE HOUSING**

To suit boats 12 meters or less  
Complete with 12v 10w bulb  
Height - 73mm  
Depth - 58mm  
Width - 64mm



<b>Part No.</b>	
<b>3519112</b>	Starboard
<b>3518312</b>	Bi-Colour
<b>3520212</b>	Port
<b>3516012</b>	Masthead
<b>3517712</b>	Stern
<b>3513095</b>	All round White

**SERIES 20 VERTICAL MOUNT**

To suit boats less than 12 meters  
Height - 53mm Depth - 63mm Width = 49mm

<b>Part No.</b>	<b>Black Housing</b>
<b>3571004</b>	Starboard
<b>3572004</b>	Port
<b>3573004</b>	Stern
	<b>White Housing</b>
<b>3571303</b>	Starboard
<b>3572303</b>	Port
<b>3573303</b>	Stern

**SERIES 25 BLACK HOUSING**

To suit boats less than 12 meters or less  
Complete with 12v 10w bulb



<b>Part No.</b>		
<b>3519102</b>	Starboard	Height - 73mm
<b>3518302</b>	Bi-Colour	Depth - 58mm
<b>3520202</b>	Port	Width - 64mm
<b>3516002</b>	Masthead	
<b>3517702</b>	Stern	
<b>3513012</b>	All round White	
<b>3513112</b>	All round Green	
<b>3513212</b>	All round Red	

**SERIES 25 COMBINED MAST/DECK LIGHT**

To suit boats less than 12 meters or less. Complete with 12v 10w bulb



**Part No. 3106012** Combined Mast / Deck Light

**SERIES 40 ALL ROUND HOISTING TYPE BLACK HOUSING**

To suit boats up to 20 meters

Height - 124mm  
Depth - 89mm  
Width - 89mm



<b>Part No.</b>	
<b>3506003</b>	All round White 10w
<b>3506103</b>	All round Green 25w
<b>3506203</b>	All round Red 25w

All Series 40 are supplied with 24v as standard, 12v supplied to order.

**SERIES 40 VERTICAL MOUNT BLACK HOUSING**

To suit boats up to 20 meters. All Series 40 are supplied with 24v as standard 12v supplied to order

<b>Part No.</b>	
<b>3505103</b>	Starboard 25w
<b>3503303</b>	Bi-Colour 25w
<b>3504203</b>	Port 25w
<b>3501003</b>	Masthead 25w
<b>3502003</b>	Stern 10w
<b>3502402</b>	Stern Yellow Towing 10w

Height 124mm Depth 89mm Width 89mm

**SERIES 40 ALL ROUND PEDESTAL MOUNT BLACK HOUSING**

To suit boats up to 20 meters

All Series 40 are supplied with 24v as standard, 12v supplied to order.

Height 124mm Depth 89mm Width 89mm

<b>Part No.</b>	
<b>3506033</b>	All round White 10w
<b>3506133</b>	All round Green 25w
<b>3506233</b>	All round Red 25w

**SERIES 40 TRI-COLOUR WITH ANCHOR LIGHT BLACK HOUSING**

To suit boats up to 20 meters

Port, Starboard, Stern & Anchor Light, with Aqua Signals Quick Fit System allows easy dismantling for transport and storage.  
Height 124mm Depth 89mm Width 89mm



**Part No. 3514952**



## SERIES 41 WHITE HOUSING

To suit boats up to 20 meters

Height - 105mm    Depth - 82mm    Width - 92mm  
All Series 41 are supplied with 12v as standard, 24v supplied to order.



Part No.	
3543623	25w Starboard
3542623	25w Bi-Colour
3544623	25w Port
3540623	25w Masthead
3541623	25w Stern

## SERIES 41 BLACK HOUSING

To suit boats up to 20 meters

Height - 105mm    Depth - 82mm    Width - 92mm  
All Series 41 are supplied with 12v as standard, 24v supplied to order.



Part No.	
3543102	25w Starboard
3542302	25w Bi-Colour
3544202	25w Port
3540002	25w Masthead
3541002	25w Stern

## SERIES 55 BRACKET, PEDESTAL MOUNT OR HOISTING TYPE BLACK HOUSING

To suit boats 20m to 50m



Part No.	
3535103	25w Starboard
3534203	25w Port
3532003	25w Masthead
3533703	25w Stern
3533403	25w Stern Yellow Towing
3531703	25w Allround White
3531203	25w Allround Red
3531103	25w Allround Green

Height - 201mm    Depth - 152mm    Width - 152mm

## AQUASIGNAL SPARE PARTS

Part No.	Bulbs
90400283	12v 5w Bulb
90400282	12v 5w Halogen Bulb
90400247	24v 5w Bulb
	<b>T/S Series 20 Lights</b>
90400496	12v 5w Bulb
90400384	12v 5w Halogen Bulb
83570003	All round white lens
83570016	Plug in base black
83570024	Plug in base white
	<b>T/S Series 25 Lights</b>
90400200	12v 10w festoon bulb
90400201	24v 10w festoon bulb
20912	12v 20w Halogen Bulb
83513001	All round white lens
83513002	All round red lens
83513003	All round green lens
23508009	Assembly screw
3903001	Bracket T/S masthead/deck light black
83512001	Bracket T/S masthead/deck light white
83510001	Port lens
83511001	Starboard lens
	<b>T/S Series 40 Lights</b>
83506022	All round white lens
83506023	All round red lens
83506024	All round green lens
83503001	Bi-colour lens
90200127	Bulb socket
83501006	Electrical insert
83514011	Locking ring
83504002	Port lens
83505002	Starboard lens
83502003	Stern lens
83507008	Tri-colour lens
23545004	Quick fit cap
95800155	Retaining nut
	<b>T/S Series 41 Lights</b>
23543002	Starboard lens
	<b>T/S Series 55 Lights</b>
90200127	Bulb socket
	<b>Sealed Beams</b>
90400306	12v 35w
90400308	12v 50w

## BI COLOUR & STERN PLUG IN TYPE



Part No.	
3575010	Bi-Colour Black Housing 190mm
3575310	Bi-Colour White Housing 190mm
3576310	Stern Black Housing 190mm





## Save power & maintenance with the new HIGH POWER LED NAVIGATION LIGHTS

### Features

- \* For Boats up to 20 meters.
- \* Specially developed to save your power & maintenance & to improve the visibility of your boat.
- \* The power consumption is only 4-5 Watts and the expected life-time is over 70.000 hours.
- \* High power LED's.
- \* Made from Polycarbonate & Stainless Steel
- \* Easy to mount with the fitting bracket supplied

# LED



World Class  
Products

Part No.	Description	Watt	Beam Angle	Voltage	Visibility
88100	Starboard Light	5 x 1Watt	112.5 degree	10V-30V DC	2-3 NM
88104	Port Light	5 x 1Watt	112.5 degree	10V-30V DC	2-3 NM
88108	Bi Colour Light	4 x 1Watt	225 degree	10V-30V DC	2-3 NM
88112	Stern Light	5 x 1Watt	135 degree	10V-30V DC	2-3 NM
88116	Mast Head Light	4 x 1Watt	225 degree	10V-30V DC	2-3 NM



88100



88104



88108



88112



88116

### SMALL NAVIGATION SIDE LIGHTS

Part No.	Description
70144	Black Housing
70146	White Housing

Sold in pairs



### PORT & STARBOARD NAV LIGHT

Side mount Port & Starboard Navigation lights designed for powerboats and sailboats up to 12m.

Length 2"  
Width 3"  
Height 1.6"  
Part No. 70200



### PORTABLE NAVIGATION LIGHTS

Suction cup mounted and made from non-corrosive Hi-impact ABS Plastic



Part No.	Description
70148	Port & Starboard Light, suction cup mounted, bi-colour
70149	360° allround white light, suction cup mounted for vertical or horizontal mounting.



### LED PORT & STARBOARD NAVIGATION LIGHT

LED Port & Starboard Navigation Lights available in Stainless Steel Finish, Black or White.



Part No.	Description
70136	White
70138	Black
70140	Stainless Steel

# LED







### 360° LED NAV LIGHT

NaviLED@360 is a breakthrough in navigation lamp reliability and safety from Hella marine. Each NaviLED@360 combines the energy efficiency of a single LED, advanced Multivolt™ electronics and precision engineered optics for reliable and highly visible all round lamps.

NaviLED@360 lamps provide power saving, visibility and durability with less than 2 watt power consumption. The new NaviLED@360 lamps draw a fraction of the energy required to operate a conventional 2 nautical mile bulb lamp.

Hella marine LED technology has no filaments to break thus making the lamps extremely shock, vibration and impact resistant. They are completely maintenance free. High impact acrylic housings provide superior durability in demanding conditions.

Each lamp is a completely sealed and waterproof unit, UV and corrosion resistant. Utilising advanced Multivolt™ circuitry, NaviLED@360 lamps provide consistent illumination and safety from 9-33V DC - even under severe voltage fluctuations and low battery voltages.

Sealed within the sleek and robust housing, the slim Multivolt™ drive circuitry provides reverse polarity, spike and over-voltage protection for long life and reliable operation. NaviLED@360 surface mount lamps meet the requirements of IMO COLREG 72, USCG and RINA.

**Part No.**

<b>H910001</b>	White Light, Black Housing
<b>H910201</b>	Green Light, Black Housing
<b>H910401</b>	Red Light, Black Housing
<b>H910211</b>	Green Light, White Housing
<b>H910411</b>	Red Light, White Housing



### NAVIGATION LAMP KITS FOR VESSELS LESS THAN 12 METERS

**Part No.**

<b>H2818</b>	Port & Starboard Lamp Kit Black
<b>H2818W</b>	Port & Starboard Lamp Kit White

**Bulbs to Suit**

<b>HL65</b>	6 Volt
<b>HL125</b>	12 Volt
<b>HL245</b>	24 Volt



### PORT & STARBOARD LIGHTS

Non approved economical plastic port & starboard lights supplied in pairs. Complete with rubber sealing gasket around the base of the lens.

135mm x 60mm x 47mm  
12V 5W

**Part No.**


<b>70101</b>	Black Pair
<b>70100</b>	White Pair






## FESTOON GLOBES


Part No.	Volt	Watt	Base
HK1210	12	10	SV8.5
HK2410	24	10	SV8.5




Part No.	Volt	Watt	Base
HL65	6	5	SV8.5
HL125	12	5	SV8.5
HL1210	12	10	SV8.5
HL245	24	5	SV8.5
HL2410	24	10	SV8.5




Part No.	Volt	Watt	Base
HK618	6	18	SV8.5
HK1218	12	18	SV8.5
HK1221	12	21	SV8.5
HK2418	24	18	SV8.5
HK2421	24	21	SV8.5



Part No.	Volt	Watt	Base
HM123	12	3	S7
HM243	24	3	S7



MINATURE  
GLOBES FOR  
PILOT LAMPS

Part No.	Volt	Watt	Base
HJ61.2	6	1.2	BA7s
HJ122	12	2	BA7s
HJ243	24	3	BA7s



## QUARTZ HALOGEN GLOBES

Part No.	Volt	Watt	Base
HYC655	6	55	PK22S
HYC1255	12	55	PK22S
HYC12100	12	100	PK22S
HYC2470	24	70	PK22S
HYC24100	24	100	PK22S
HYL125	12	5	BA9s
HYL1220	12	20	BA9s




## DOME LAMP GLOBES

Part No.	HE1225
Voltage	12v
Wattage	25w
Base	BA15s

SPECIAL GLOBES  
FOR MARINE LAMPS

Part No.	Volt	Watt	Base
HZP24.40	24	40	P28s
HZP110.60	110	60	P28s
HZP220.65	220	65	P28s
HZP240.65	240	65	P28s

GLOBES  
FOR TAIL, MARKER & CLEARANCE

Part No.	Volt	Watt	Base
HG610	6	10	BA15s
HG125	12	5	BA15s
HG1210	12	10	BA15s
HG242	24	2	BA15s
HG245	24	5	BA15s
HG2410	24	10	BA15s
HGD125	12	5	BA15d
HGD1212	12	12	BA15d
HGD245	24	5	BA15d

## FLASHER &amp; STOP LAMPS





Part No.	Volt	Watt	Base
HFD1221	12	21	BA15d
HFD2421	24	21	BA15d






## NAVIGATION GLOBES




Part No.	Volt	Watt	Base
HEA1210	12	10	Bay15d
HEA1225	12	25	Bay15d
HEA2410	24	10	Bay15d
HEA2425	24	25	Bay15d

## WEDGE BASE GLOBE




Part No.	Volt	Watt	Base
HW121.2	12	1.2	W2 x 4.6d
HW241.2	24	1.2	W2 x 4.6d

Part No.	Volt	Watt	Base
HW125	12	5	W5W
HW245	24	5	W5W



## NON GENUINE MARINE GLOBES

Part No.	Volt	Watt	Base
NG1210	12	10	Bay15d
NG1225	12	25	Bay15d
NG2410	24	10	Bay15d
NG2425	24	25	Bay15d



## DOUBLE FILAMENT GLOBES

Part No.	Volt	Watt
HSL150/24	24 Volt	150 Watt



## LED REPLACEMENT NAVIGATION BULB

Suitable for all brands of approved nav lights with offset pin bases.

- \*50pcs very Bright White LED's
- \*Replaces a 25Watt bulb
- \*Lifetime over 50,000 hours
- \*Saves power only 3,5 Watt power consumption
- \*IP68



World Class Products

Part No.	Volt
70948	12 Volt
70949	24 Volt

**LED**



## LARGE SHIP REPLACEMENT NAVIGATION BULBS



E27



B22

Part No.	Watt	Base
NG110.65	110v 65w	B22 Navigation Bulb
NG22065	220v 65w	B22 Navigation Bulb
NG11060	110v 60w	E27 Navigation Bulb
NG22060	220v 65w	E27 Navigation Bulb
HZE220.65	220v 65w	E27 Navigation Bulb
NG11040	110v 40w	B22 Navigation Bulb
NG23040	230v 40w	B22 Navigation Bulb


## G4 XELOGEN REPLACEMENT GLOBES

Long Life - Up to 10,000 hours. Safer due to low pressure xenon gas filling. Less heat as Xenon gas reduces temperature. Can be handled with bare hands. Tipless design provides better light distribution. UV Safe.

Part No.	Volt	Watt	Base
20910	12	10	G4
20912	12	20	G4
20915	24	10	G4
20917	24	20	G4


## MINATURE GLOBES

Part No.	H292
Voltage	12v
Wattage	2w
Base	E5.5



## BAYONET MINATURE GLOBE

Voltage	24v
Wattage	2w
Base	BA9s



Part No.	HH242
----------	-------

## 12V LED BULB

White lens, single contact with parallel pins

Part No.	53218
----------	-------

